



Digital Technologies for Forest Supply Chain Optimization: Existing Solutions and Future Trends

Johannes Scholz¹ · Annelies De Meyer^{2,3} · Alexandra S. Marques^{4,5} · Tatiana M. Pinho^{4,5} · José Boaventura-Cunha^{4,5} · Jos Van Orshoven² · Christian Rosset⁶ · Julien Künzi⁷ · Jaakola Kaarle⁸ · Kaj Nummila⁸

Received: 30 September 2017 / Accepted: 6 August 2018 / Published online: 20 August 2018
© Springer Science+Business Media, LLC, part of Springer Nature 2018

Abstract

The role of digital technologies for fostering sustainability and efficiency in forest-based supply chains is well acknowledged and motivated several studies in the scope of precision forestry. Sensor technologies can collect relevant data in forest-based supply chains, comprising all activities from within forests and the production of the woody raw material to its transformation into marketable forest-based products. Advanced planning systems can help to support decisions of the various entities in the supply chain, e.g., forest owners, harvest companies, haulage companies, and forest product processing industry. Such tools can help to deal with the complex interdependencies between different entities, often with opposing objectives and actions—which may increase efficiency of forest-based supply chains. This paper analyzes contemporary literature dealing with digital technologies in forest-based supply chains and summarizes the state-of-the-art digital technologies for real-time data collection on forests, product flows, and forest operations, as well as planning systems and other decision support systems in use by supply chain actors. Higher sustainability and efficiency of forest-based supply chains require a seamless information flow to foster integrated planning of the activities over the supply chain—thereby facilitating seamless data exchange between the supply chain entities and foster new forms of collaboration. Therefore, this paper deals with data exchange and multi-entity collaboration aspects in combination with interoperability challenges related with the integration among multiple process data collection tools and advanced planning systems. Finally, this interdisciplinary review leads to the discussion of relevant guidelines that can guide future research and integration projects in this domain.

Keywords Digital technologies · Planning systems · Sensors · Interoperability and information exchange · Optimization · Collaboration

✉ Johannes Scholz
johannes.scholz@tugraz.at

¹ Graz University of Technology, Institute of Geodesy, Steyrergasse 30/I, 8010 Graz, Austria

² KU Leuven, Department of Earth & Environmental Sciences, Celestijnenlaan 200E Box 2411, 3001 Heverlee, Belgium

³ Flemish Institute for Technological Research (VITO), Unit Separation and Conversion Technologies, Boeretang 200, 2400 Mol, Belgium

⁴ INESC TEC - INESC Technology and Science, Campus da FEUP, 4200-465 Porto, Portugal

⁵ UTAD - Universidade de Trás-os-Montes e Alto Douro, Escola de Ciências e Tecnologia, Quinta de Prados, 5000-801 Vila Real, Portugal

⁶ School of Agricultural, Forest and Food Sciences HAFL, University of Applied Sciences, Länggasse 85, 3052 Zollikofen, Switzerland

⁷ School of Engineering and Information Technology, University of Applied Sciences, BFH-TI, Quellgasse 21, 2501 Bienne, Switzerland

⁸ VTT Technical Research Center of Finland, Sensors Center, P.O. Box 1000, FI-02044 VTT, Finland

Introduction

The forest-based supply chain (FbSC) comprises a temporal sequence of spatially referenced activities from the forest to the customer that transform the woody raw material to marketable forest-based products (e.g., D'Amours et al. 2008). The FbSC is commonly structured into four distinct processes: Procurement, Production, Distribution, and Sales to final clients. Procurement describes the production of raw timber by harvesting activities. This includes the temporary storage of the raw material at the forest roadside and subsequent transportation to the production facilities. Production encompasses the processes that transform the raw timber into different marketable intermediate or final products. Finally, these products are distributed to the market and sold to the clients. The activities are performed by different stakeholders of the FbSC, like forest owners, harvesting enterprises, haulage companies, or forest industry in general. These actors are connected by material, monetary, and information flows. In respect to material flows, authors usually distinguish between lumber, pulp and paper, biomass, and other forest products (D'Amours et al. 2008; Scholz 2015; Cambero et al. 2015; De Meyer et al. 2014; Mafakheri and Nasiri 2014).

The scope of this research is focused on the digital technologies that have been developed over recent years to support the management of FbSCs. In recent years, a wide range of digital technologies such as RFID, GPS-based tracking devices, light detection, and ranging (LIDAR) were successfully applied to collect data about forest characterization and operations monitoring, remotely and as unexpensive as possible. Advanced planning systems and similar software solutions provide support to planners and decision makers.

Yet, in many cases, these technologies remain as singular solutions that apply to an isolated forest, process, or machine, and are tailored to case-specific applications (Rönnqvist et al. 2015). One of the main reasons is that the nature of supply chain activities, their planning, and control processes and the relationships between the supply chain actors varies greatly among countries and regions. So, generalization requires caution. For example, in Scandinavia (e.g., Sweden and Finland), medium to large forest enterprises manage the whole supply chain from procurement, transport, and distribution to sales. While in Austria, forest ownership is dominated by small privately owned forests. Only a minor proportion of the forested land is owned by the state and big forest enterprises. Typically, procurement, transport, and sales are done by independent entities of the FbSC—i.e., forest owner, haulage company, and forest industry.

Higher sustainability and efficiency in FbSCs poses new challenges to the research and development of digital

technologies (e.g., Forest Platform Vision 2030, Digitizing Europe Industry Initiative). One key aspect is to integrate multiple process data collection solutions to reach a value-chain coverage (D'Amours et al. 2008). This poses new research challenges related with software interoperability, i.e., how to assure efficient and seamless data exchange between devices from different providers. Another key aspect is to increase the scaling capabilities of existing singular solutions for wider application (e.g., to other countries and regions) while still being able to cope with local specificities. This aspect is a must-to-reach economies of scale in the development of digital technologies and to lower development and utilization costs. Further research is needed to show how advanced planning systems can better utilize the large amount of data that becomes available to improve the dynamics of planning and operations control processes (D'Amours et al. 2008; Rönnqvist 2003). Furthermore, the social dimension of supply chains needs to be investigated further and efforts should be made to enhance data sharing among multiple companies of the supply chain and foster collaborative business opportunities (Audy et al. 2012b; Beaudoin et al. 2010; Frisk et al., 2010; Holweg et al. 2005).

This framework leads to the research questions tackled in this paper:

Question 1: Which are the most promising digital technologies for improving efficiency in managing operations in the forest-based supply chains, retrieved from the literature?

Question 2: Which guidelines can be taken from the literature and the researchers' past experience, to guide future research and development toward a seamless information flow for integrated management of FbSCs, facilitating data exchange and collaboration?

To answer these questions, this article highlights relevant literature concerning planning in FbSCs, collaboration in SCs, and technological solutions having potential to contribute to solve the identified missing links in the FbSC. This implies that the authors do not claim to provide an exhaustive list of developments. The article does not cover developments in remote sensing, as this is out of the technological scope of this article. Hence, we provide references to relevant papers in the field of remote sensing in forestry.

In “Methodology” section, the methodological approaches for identifying and classifying the publications considered in this paper as well as for defining guidelines have been described. Based on the classification approach, “Literature overview” covers the publications divided in three sections: (1) Digitizing technologies for process data collection over the FbSCs (Process data collection tools section), (2) Advanced planning systems for FbSCs (Planning systems section), and (3) Technologies to support collaboration in SCs (Interoperability and integration and collaboration section). “Guidelines for the future development




Fig. 1 Three-dimensional classification schema used for classifying the publications considered in this literature review

of technologies in forest-based supply chains” section presents guidelines to guide future research and development toward a seamless information flow for integrated management of FbSCs, facilitating data exchange and collaboration.


Methodology

The methodological approach to identify and classify the publications considered in this review is based on four steps, as described in Seuring and Müller (2008). The first step is literature collection. The literature search was done in Thomson Reuter’s Web of Science database in January 2014 and updated in March 2017. The search terms used for Topic were “forest” AND “supply chain” AND (“planning” OR “sensors” OR “technology” OR “Interoperability”). Additional search criteria are publications written in English and published between 1995 and 2017. Since information on new software tools and ongoing research projects is not always available as peer reviewed articles, other types of publications have been considered as well, including reports of EU projects such as the EFORWOOD project and the FOCUS project. The second step is the descriptive analysis. In several iterations, the authors evaluated formal aspects of the publications list, including the publication type (e.g., journal paper, conference paper, report, book, and other), year of publication, and journal type. The third step is category selection. The authors convey to a three-dimensional classification schema (Fig. 1), representing (1) the FbSC processes (i.e., procurement, production, distribution, sales, and entire supply chain); (2) the type of value chain (i.e., pulp and paper, biomass, lumber, all types, and other), and (3) type and subtype of digital technologies

(i.e., process data collection tools, planning systems, interoperability, and integration). This classification schema is the result of thorough collaboration of a multidisciplinary team of experts involved in the EU FP7 project FOCUS (Focus Consortium 2018). The selected articles have been stored, documented, and classified using the open source software Zotero (Roy Rosenzweig Center for History and New Media 2018). The fourth step relates to content analysis. The authors carefully analyzed each paper concerning their contribution to the body of knowledge in the field of FbSCs. The results are documented in the following sections.

Next, guidelines were defined in the course of a two-phase collaborative process similar to the one described in Marques et al. (2013). In this context, a guideline is a statement by which to determine a course of action. Guidelines have been successfully used to assist practitioners in various domains, including the development of technologies for the forest sector. In this research, guidelines have been used to express the experts’ opinion about the main outcomes of the literature review and also to express their implicit knowledge in the development and use of technologies for forest-based supply. This may help to guide future work. The process of guidelines identification has been conducted by 12 experts involved in the FP7 research project, FOCUS, including four technology providers, three forest practitioners, and five researchers from Portugal, Austria, Belgium, Finland, Germany, and Switzerland. During the first phase, the experts met in a workshop to discuss the results of the literature review and conduct a brainstorm exercise for identifying relevant practices, also based on their personal experiences. In a second phase, two researchers took the lead in consoling the information into guidelines. Then, each expert assessed the

Fig. 2 Distribution of publications according to the publication year and publication type (1995–2017)



proposed guidelines and expressed their suggestions in a second (remote) workshop. Consensus was finally reached in respect to the relevant guidelines and its adequate writing.

Literature Overview

This chapter presents the literature review conducted for this paper, and describes the relevant literature. The literature is divided into thematic complexes and described in the sections of this chapter. The thematic sections contain digitizing technologies for process data collection, advanced planning systems for FbSCs, and technologies to support collaboration in SCs.

Classification Results

This review brings together 132 publications which are published between 1995 and 2017. Figure 2 presents the absolute distribution of the publications according to their publication type and publication year. In total, 102 journal publications, 12 conference proceedings, 10 book chapters, and 8 reports have been reviewed. This equals to a relative distribution of 77% journal papers, 9% conference proceedings, 8% book chapters, and 6% reports. Looking at the publication frequency per year, starting from 1995 to 2017, it is notable that there is a constant publication rate during the period from 2007 to 2012, where each year more than ten papers have been published. Of course, the year 2017 is not representative for the whole year, as the literature search was done in May 2017.

Table 1 Distribution of publications according to their FbSC type, process, and digital technology

	All	Biomass	Lumber	Other	Pulp and paper	Total
Distribution				2	2	4
Interoperability and integration				2	1	3
Planning system					1	1
Procurement	3	26	82	1	1	113
Interoperability and integration	1	1	19			21
Planning systems	2	24	55	1	1	83
Process data collection tools		1	8			9
Production		2			1	3
Interoperability and integration					1	1
Planning systems		2				2
Sales			1			1
Planning systems			1			1
Entire supply chain	1	5	2	2	1	11
Interoperability and integration		1	2	1	1	5
Planning systems	1	4				5
Process data collection tools				1		1
Grand total	4	33	85	5	5	132

Each publication has been classified according to their digital technology, the FbSC process and the type of the

value chain addressed. Table 1 shows a detailed distribution of the publications according to these classification criteria. First of all, it is clear that the dominant fields are the lumber and biomass supply chains—having a share of 64% (lumber) and 25% (biomass) of all selected publications. Furthermore, an overwhelming majority of the publications covers planning systems focusing on procurement—92 of 132 papers. In general, 113 papers are dealing with procurement, which equals to 86% of all publications. Only 23% of the relevant publications are focused on interoperability and integration. Most of these publications look at interoperability and integration from the perspective of lumber value chains. In addition, for biomass value chains most papers focus on planning systems in procurement.

Process Data Collection Tools

To ensure a seamless communication between stakeholders in the FbSC, (near) real-time data should be collected and shared across the FbSC. Therefore, this section focuses on sensor technologies to enable the collection of (near) real-time data. However, the smartphone will play a role in the future for data collection within the forest as is shown by Rosset et al. (2014).

Remote data collection to characterize forests

Data collection for forest inventory using smartphones is gaining momentum in the community. At least two systems for smartphones are available: Trestima and MOTI. Trestima (Trestima Inc. 2018; Siipilehto et al. 2016) is a forest inventory tool developed for smartphones. The forest inventory data are determined and calculated based on photographs taken with the smartphone. Data are sent to the cloud and analyzed there, which helps to save precious battery power. MOTI (Berner Fachhochschule 2018) is similar to Trestima, but is targeted toward experienced professionals (Rosset et al. 2014). The application does not rely on an Internet connection as observations are stored in the smartphone. Both systems, MOTI and Trestima, are capable of support foresters in collecting forestry inventory data. As a consequence, these data could serve as starting point for managing the FbSC appropriately, based on recent forest inventory data.

The use of remote-sensing techniques for forestry planning and inventory gained momentum with the development of high-resolution sensor systems (satellite and aerial). Hence, in the mid-1990s, Holmgren and Thuresson (1998) concluded that image data contained little relevant information, and that other data collection methods were more efficient. Only some years later, several papers elaborate on methodologies and techniques to extract information on

forests from remotely sensed data (e.g., Gougeon and Leckie 2003; Desclée et al. 2006; Verbesselt et al. 2010; Carleer and Wolff 2004). Especially, the combination of LIDAR and satellite/aerial image data is regarded as promising technology to collect forest inventory data (Hirschmugl et al. 2007; Reutebuch et al. 2005; Dalponte et al. 2008; Wulder 1998). With the help of satellite and aerial images, forest disturbances can be detected and monitored (e.g., Jin and Sader 2005; Neigh et al. 2008).

Unmanned aerial vehicles (UAVs) were initially developed for military use, but have been increasingly deployed in civilian applications—such as mapping, monitoring, and natural resources (Newcome 2004). Paneque-Gálvez et al. (2014) mention that UAVs in forestry are primarily used to monitor forest fires (Ambrosia et al. 2003; Casbeer et al. 2006; Merino et al. 2012), but also to map tree crowns, forest stands, and volume estimation (Lin et al. 2011; Hung et al. 2012; Dunford et al. 2009; Aber et al. 1999). Zhang et al. (2016) show that lightweight UAVs offer a certain potential for long-term ecological monitoring of small areas (local scale). Similar to the latter paper, Puliti et al. (2015) show that UAVs have the following advantages for monitoring small forested areas: (a) high spatial and temporal resolution (b) UAVs provide timely information on a local scale.

Track-and-trace forest products and equipment

RFID and wireless-sensing technologies are among the most used for track-and-trace forest products and equipment. RFID sensors can further collect relevant measurement data along the chain. Accurate, real-time data can be used, e.g., to improve yield and logistic processes and to reduce waste and environmental impacts. Compared to other means of automatic identification such as optical methods, RFID technology has clear advantages in terms of reliability, robustness, and read range. Especially dirt, dust, and mechanical damage are challenges for optical methods that can be eliminated by using special RFID transponders. For identification purposes, passive RFID technology is typically the most cost-efficient solution as the transponders are low-cost and maintenance-free (Häkli et al. 2013). The potential of RFID in timber supply chains has been highlighted in Korten and Kaul (2008) as well as in Murphy et al. (2012). As there are a multitude of products generated out of wood, it is hard to determine the lifespan of a “product”—and the need to track it along the supply chain. As a first attempt, literature focuses on the tracing of the wood in the procurement stage of the FbSC. Nevertheless, tracing of the timber could be extended to other stages of the FbSC as well and amended with other sensors (e.g., humidity or temperature). Besides RFID, the use of

terrestrial LIDAR systems has proven to be successful in predicting the wood quality of standing trees (Stängle et al. 2014).

The two dominant and commercially available technologies of passive RFID are near-field communication (NFC) and ultra-high frequency (UHF) RFID. NFC, a short-range technology operating at the frequency of 13.56 MHz, has gained popularity in consumer applications, as the NFC reader has become a standard feature of today's cellular phones (NFC Forum 2018). UHF RFID that enables read ranges of up to 100 m is a standard technology in logistics and industry defined by the ISO standard 18000-6C, commonly known as EPC Gen2 (GS1 EPCglobal Inc. 2018). Wood with varying moisture content is a challenging environment and mounting platform for a UHF transponder, both electrically and mechanically. Therefore, the standard transponders designed for logistics applications are not usable for forest applications as such. Special UHF RFID transponders for marking round wood have been developed (Häkli et al. 2013). In order to extend the functionality of an RFID system, it is possible to add sensing components, such as temperature or humidity sensors or passive transponders. A few sensors are also commercially available (e.g., Mitchell 2005). Active transponder is a radio transmitter that works on its own battery and sends the identification and the measurement data either directly to a base station or via a network formed by other sensors (RFCode Inc. 2018). The standards for active radio-based wireless sensors include Bluetooth LE, ZigBee, and Dash-7. Föhr et al. (2014) used smartphones with NFC features as well as gate readers equipped with wireless Internet connection to transfer data from RFID-tacked biomass containers.

In respect to track-and-trace wood trucks, a number of approaches are mentioned in scientific literature (e.g., Scholz 2010; Scholz 2011; Castonguay and Gingras 2014; Holzleitner et al. 2011). Generally, monitoring trucks in (near) real time involves determining the truck's position and status (e.g., engine status or load condition) and sending them to a server, where the data are stored for visualization and analysis purposes (Menard et al. 2007; Devlin et al. 2008; Scholz et al. 2008; Scholz 2010; Scholz 2011; Castonguay and Gingras 2014). The analysis and visualization can be achieved with desktop or web-based geographical information systems (GIS). Web-based GISs have the advantage of being accessible via the Internet, utilizing standardized services and offering the possibility to instantly visualize the current position and other auxiliary sensor data.

A certain number of similar solutions use the location-based service metaphor to transmit data from the vehicles to a central server (D'Roza and Bilchev 2003; Adams et al.

2004; Brockfeld et al. 2007; Brimicombe and Li 2009). Location-based services are services that utilize the self-positioning capabilities of mobile devices—which can be mounted on trucks, and submit or receive information relevant for its position. A generic system architecture for that purpose is presented by Scholz et al. (2008), Scholz (2010), Scholz (2011), and Castonguay and Gingras (2014). The architecture for such location-based services can be either proprietary or follow open standards.

The sensors that gather data of the vehicles are sensors with self-positioning capabilities, i.e., making use of global navigation satellite systems (GNSS). For Europe, the in-development Galileo system is of interest, but currently U.S.-operated global positioning system (GPS) and the Russian GLONASS are the favored GNSSs. For gathering other vehicle relevant data, the controller area network (CAN) bus of vehicles offers a number of data relevant for the FbSC, such as current load of the truck, activity of the truck (loading, driving, etc.), or breakdown. Coupling CAN bus data and GNSS with the location-based service metaphor seems like a possible strategy to gather location-aware data from timber trucks (Rao and Rao 2013).

Productivity-related sensors embedded in the equipment

The monitoring of the productivity of forest operations can contribute to manage and optimize the FbSC, in order to optimize subsequent operations like transport, storage, or production. Besides the methods mentioned in the prior sections, it is possible to exploit sensors present on forest machinery to generate productivity-related data. The objective is to obtain (near) real-time productivity data from forestry machines (e.g., harvester, forwarder, skidder, and skyline yarder systems) and log transportation (trucks), to collect data of the ongoing harvesting, forwarding and transportation processes.

Ziesak et al. (2015) and Mittlboeck et al. (2015) describe an approach to monitor forest machinery data containing of CAN bus via the software iFOS and a system called TimeControl (Wahlers Forsttechnik GmbH 2018). TimeControl together with iFOS allows the recording of input from the operators and the fusion of this data stream with sensors embedded in the machine. The operator is able to report on, e.g., the following operations: transport, work, repair, break, service, etc. The system iFOS is able to document on the machinery data like engine revolutions, forces on rear blade, hydraulic oil temperature, driving speed, position, etc.

Hence, this system is able to document any disturbances (e.g., delays and machinery breakdowns) and execution updates (e.g., volume flows and machinery productivity—produced m³ timber/hour). Based on the data, by embedded

sensors, it is possible to detect deviations of executed versus target goals which were specified in the plan.

Planning Systems

Since all kinds of planning problems arise along the wood supply chain, and cover different time horizons, supply chain management and optimization have proven to be of increasing importance in the forest industry (Carlsson and Rönnqvist 2005). Planning the activities in FbSC requires decisions at the strategic, tactical, and operational level, which differ in their temporal and spatial scales as well as in their information requirements and aggregation levels. A variety of papers elaborate on approaches to model and optimize the planning of FbSC on a strategical, tactical, and/or operational level, including the approaches to improve the efficiency of the FbSC. Different examples indicate that optimization of supply chains is crucial and brings added value in comparison to traditional decision-making (Ouhimmou et al. 2009; Shabani et al. 2014; Ghaffariyan et al. 2013). Several review papers already exist bringing together literature covering the use of operations research (OR) methods applied to the FbSC (e.g., D'Amours et al. (2008) and Rönnqvist (2003)) and more widely the biomass-based supply chain (e.g., Bravo et al. (2012); De Meyer et al. (2014); Wee et al. (2012)). Therefore, this chapter does not claim to represent and exhaustive list of literature, but focuses the criteria defined in “Methodology” section.

Strategic planning

Planning on a strategic level is about optimizing the long-term decisions related to the design of the forest-based supply network and the allocation of forest operations. This has to be done with respect to income generated by harvesting and other cost intensive operations such as planting, tending, or (to a less extent) thinning for a specified spatial region over a given time horizon (e.g., Jones and Ohlmann 2008) and/or in relation to market prices for feedstock and end product (Kong et al. 2015). The geographical extent subject to strategic planning is at least a forest estate, a collection of forest stands or sub-compartments. In contrast, it is possible to approach long-term planning from the single-tree upwards, which disregards planning area constraints existing in planning (Martín-Fernández and García-Abril 2005). The time horizon of strategic planning may reach from several years to decades depending on the rotation length. A thorough review of decision support systems (DSS) for forest management is presented in Packalen et al. (2013). This review includes both research prototypes and commercial solutions such as the Iptim

software for Integrated Planning for Timberland Management (Simosol 2018).

In general, there are two main approaches to strategic planning: simulation-based approaches (Muys et al. 2010) and optimization (Rönnqvist 2003). In scenario-based planning, a management regime is proposed and the outcome is simulated—which is in turn evaluated by the planners. This approach is iterative, as planners may simulate several different scenarios at a time or one after the other and compare the results (Lappi and Lempien 2008). Eker (2011) uses simulation to assess different procurement systems for unutilized logging residues. Simulation is also introduced, whether or not in combination with optimization, to move toward hierarchical planning with the goal to provide greater flexibility to operational-level managers and a mechanism to anticipate its impact on the strategic and tactical-level plans (Gautam et al. 2015; Paradis et al. 2013; Kong and Rönnqvist 2014). Optimization approaches mandatorily need the formulation of an objective for the plan and the constraints under which the objective is satisfied. The defined problem is subsequently solved with a mathematical optimization method. In general, there are various optimization methods available: variations of linear programming (LP), integer programming (IP), mixed integer programming (MIP), and metaheuristics (e.g., Tabu Search, Simulated Annealing, Genetic Algorithms) for single objective formulations (De Meyer et al. 2014). Although each model has its specific use, generally these optimization models are then applied to define the optimal number, type, and/or location of a new terminal and/or biorefinery in relation to biomass supply, product demand, and the operations in the supply chain (Leduc et al. 2012; Parker et al. 2010; De Meyer et al. 2015; Natarajan et al. 2012; Mirkouei and Haapala 2015; Palander and Voutilainen 2013; Ranta et al. 2014). Therefore, these optimization models often include spatial information regarding feedstock resources, existing and potential refinery locations, and a transportation network to determine the optimal locations, technology types, and sizes of manufacturing facilities to satisfy their objective (Parker et al. 2010; De Meyer et al. 2015). To improve decisions considering time issues, De Meyer et al. (2016) add a growth model to simulate biomass growth and regeneration after harvest to the equation. Dansereau et al. (2010) apply mixed integer linear programming to compare the behavior in manufacturing-centered supply chain with the behavior in a margins-centric supply chain.

Tactical and operational planning

Tactical and operational planning are restricted to shorter planning horizons and smaller spatial extents compared to what is applicable with the strategic planning. The tactical decision level addresses medium term (usually monthly)

decisions, related to the wood flow, covering a planning horizon between 6 months and 5 years (D'Amours et al. 2008), with an extension to 10 years in some cases. The overall wood flow starts with standing trees in forests and continues with operations such as harvesting, bucking, sorting, transportation to terminals, sawmills, pulp and paper mills, heating plants, etc. for conversion into all kinds of products (Carlsson and Rönnqvist 2005). A typical example of an optimization model addressing tactical planning is presented by Gunnarsson et al. 2004. Operational planning encompasses short-term decisions related to activities in the field. Hence, planning horizons of operational planning range from a few seconds to 6 months (Rönnqvist 2003). The literature on tactical and operational forest planning reports the use of a wide range of mathematical models, which include LP, IP, MIP, non-linear programming, dynamic programming, and constraint programming (Rönnqvist 2003).

Harvest scheduling describes the decisions needed to be taken regarding which stands to harvest and in which temporal order within the planning horizon. Medium to short-term tactical harvest scheduling problems consider smaller management areas, and have shorter planning horizons, which allow a linkage with operational considerations, like bucking (Chauhan et al. 2009; Chauhan et al. 2011; Epstein et al. 1999; Gerasimov and Sokolov 2014). Beaudoin et al. (2008) as well as Bredström et al. (2010) presented an annual planning problem with integrated harvest scheduling/sequencing. Bredström et al. (2010) amended the optimization with harvest machine assignment. Both use a two-phase solution method, where one sub-problem—e.g., machine assignment—is solved and serves as input for the other sub-problem—e.g., harvest scheduling. Harvest planning on operational level comprises decisions related to the extraction of logs from the felling sites to the roadside and bucking/sorting operations. Biomass recovery issues and skidding problems on steep slope terrain can be solved with optimization approaches by designing an optimal off-road transport network (Ezzati et al. 2015; Montgomery et al. 2016). Bucking operations basically contain the cutting of harvested trees into different log types, with respect to the demand of the market, in order to receive the maximum value. To optimize bucking operations, an algorithm is needed to perform the optimization on the levels of stem, stand, and forest (Chauhan et al., 2011). Methods for optimizing bucking operations are found, e.g., in Marshall et al. (2006), Chauhan et al. (2011), Epstein et al. (1999), Dems et al. (2017), and Laroze and Greber (1997). Epstein et al. (1999) propose a multi-period procurement model that takes harvesting, bucking, and transportation into account. Chauhan et al. (2011) extend the latter methodology of Epstein et al. (1999) by a

hierarchical model, where the matching of supply and demand, as well as bucking are solved independently and iteratively.

Road network planning is often integrated with harvest scheduling and deals with road construction, upgrading, and clearing of snow in order to access forest stands. Murray and Church (1995) presented an integrated IP model that addresses medium long-term harvest scheduling and road building decisions considering adjacency constraints. They used interchange, simulated annealing and tabu search as solution methodologies. Andalaft et al. (2003), Guignard et al. (1998), and Weintraub et al. (1996) presented MIP harvest planning models to determine where roads can be built/upgraded according to different quality standards. Maximum slope (Gruber and Scholz 2005) and turn radius of trucks and earthwork when the road crosses hillsides (Epstein et al. 2006) are among the other technical considerations, which are—although rarely—taken into account. Henningsson et al. (2007) describe two incapacitated fixed charge network MIP models, including multiple time periods and different road classes. These models are used in the optimization module of a DSS called RoadOpt (Carlsson et al. 2006).

Transportation planning addresses the transport of timber from the roadside to the destination, which can be either a pulp and paper mill, a sawmill, a heating system, a terminal, etc. (Andersson et al. 2008; Akhtari et al. 2014; Alam et al. 2012; Alayet et al. 2016; Beaudoin et al. 2007; Carlsson and Rönnqvist 2005). Tactical transportation planning relies on an aggregated supply and demand that is necessary for establishing timber flows between origin and destination locations. Of significant importance is the possibility to consider backhaul routes (Carlsson and Rönnqvist 2007; Hirsch and Gronalt 2008). In addition, wood bartering between companies can be also included (Palander and Väättäinen 2005; Forsberg et al. 2005). Transportation planning at operational and tactical level mainly addresses truck scheduling and dispatching. In order to model the problems at hand, the vehicle routing problem (VRP) approach and the pickup and delivery problem (PDP) variants (Audy et al. 2012a) are used. The first approaches toward truck scheduling have been published by Weintraub et al. (1996) that resulted in the project ASCIAM. In general, solution methods for transportation planning include MIPs (Palmgren et al. 2004; Palmgren et al. 2003; Rey et al. 2009). The solution is calculated with a two-phase column generation method. Tabu search is proposed by Gronalt and Hirsch (2007) based on the Unified Tabu Search Algorithm (UTSA) for a general VRP in order to generate truck schedules. Flisberg et al. (2009, 2012) extend the UTSA, which is applied to a consolidated PDP in order to transform the PDP into a VRP. El Hachemi et al. (2009, 2011a)

propose models addressing decisions that take supply and demand assignment into account when calculating truck schedules. Hence, the methodology first generates the wood flow from supply to demand, followed by the generation of the daily routes. In order to minimize non-productive activities in the supply chain (truck and loader waiting time, and empty trucks), El Hachemi et al. (2011b) propose a two-phase solution methodology that comprises constraint programming and an IP model. Scholz (2015) uses an adaptive large neighborhood search methodology to optimize truck schedules and timber flow from source to destination points. Because there is the need to solve dispatching models quickly (close to real-time), there is a tradeoff between solution speed and quality. Rönqvist and Ryan (1995) report on a hybrid solution method in which two different greedy heuristics search for the best routes for each truck. Carlsson et al. (1998) use an IP model in which entire routes (i.e., set of different trips) are represented as variables with the idea to allocate trips to existing truck routes. Gerasimov and Sokolov (2014) present a tool set for Russian logging companies combining different optimization tools to support truck routing, fleet utilization levels, and choice of transport method.

Addressing uncertainty in FbSC planning

Since predicting the availability of raw materials is often impossible, uncertainty has been incorporated in harvesting planning models to move toward a robust harvesting planning model (Bajgiran et al. 2017). Some models, looking at the complete supply chain, introduce uncertainty to their supply chain planning optimization question. Uncertainty plays a key role in different stages, such as uncertainty in biomass availability and biomass quality (Shabani et al. 2014; 2016a; 2016b; Sharifzadeh et al. 2015), timber supplies (Vergara González et al. 2015), and uncertainty related to biomass-to-biofuel conversion efficiencies (Xie and Huang 2015). Marques et al. (2014) combine their (operational) optimization approach with discrete-event simulation models to tackle uncertainty in planning harvesting and forest operations. These discrete-event simulation models are able to assess the performance and to identify bottlenecks associated with the execution of the optimized, deterministic plans, when unforeseen events occur (Marques et al. 2014; Myers and Richards 2003). Furthermore, the quality of the feedstock or the intermediate product is decisive for its final destination (Ghaffariyan et al. 2013). Therefore, several models keep track of changes in feedstock quality throughout the supply chain (De Meyer et al. 2015; De Meyer et al. 2016; Dems et al. 2015; Sosa et al. 2015; Van Dyken et al. 2010; Alayet et al. 2016; Andersson et al. 2016).

Most optimization models strive to minimize costs in the supply chain costs or to maximize the profit in the supply chain (De Meyer et al. 2014). However, also environmental and social-oriented objectives are decisive to make the supply chain sustainable as a whole. For multi-objective problems, methods such as multi-criteria decision analysis (Kangas et al. 2008), goal programming (Kangas et al. 2008), and multi-criteria approval (Laukkanen et al. 2004) can be applied. Examples of multi-objective optimization in strategic, tactical, and operational planning can be found in Broz et al. (2017), Dong and Wang (2010), Kühmaier and Stampfer (2012), Vaskovic et al. (2015) and Palander (2011a; 2011b).

Other approaches have been applied to wood-based supply chains, besides optimization and simulation approaches. For example, Chang and Gaston (2014) performed a disaggregated trade-flow analyses to investigate the global competitiveness of lumber.

Interoperability and Integration and Collaboration

The following section elaborates on technologies and initiatives that enable the sharing of data and/or information across institutional borders. To date, several interoperability initiatives and standards exist—especially on the syntactic level—whereas the integration in each stakeholder's systems and the collaboration of stakeholders is still regarded as work in progress.

Interoperability

Interoperability represents technologies and methodologies which ensure seamless data and information sharing over institutional and organizational “borders”. For example, Rossmann et al. (2008) have developed the “Virtual forest” as an intelligent planning and decision support tool for forest growth and wood mobilization. In order to efficiently gather and visualize the data by bringing together databases, aerial surveys and satellite technology with virtual reality, robotics, and machine learning.

Interoperability needs to be solved on a technical level (i.e., syntactic interoperability). If syntactical interoperability is ensured, literature suggests that two or more computers should be equipped with systems to automatically interpret the information exchanged in a meaningful and accurate manner. This concept is regarded as semantic interoperability, which is, e.g., utilized in the Semantic Web.

From the IT perspective, a supply chain can be represented by spatio-temporal information chunks present in applications or in databases connected via web-based service-oriented architectures (SOAs) (Sahin and Gumusay 2008). SOA itself is not a technology but rather a strategic

concept (Detecon Consulting 2006). The goal of a service-oriented architecture approach is the optimization of IT flexibility, IT productivity, and business processes as well as achieving better reusability of data and processes (Liebhart 2007), which makes it an ideal concept to be considered in modern location-enabled information infrastructures. If the functionality is made available as a service over a network, it is referred to as a web service. Papazoglou (2008, p. 5) defines a web service as a “self-describing, self-contained software module available via a network, such as the Internet, which completes tasks, solves problems, or conducts transactions on behalf of a user or application”. In order to fully benefit from the service concept, the standardization of interfaces between the different components of the forest supply chain plays an important role for planning and control of the overall system.

A prerequisite for allowing applications and systems to communicate with each other in an agile and flexible way is the interoperability between the systems and interfaces used. The Open Geospatial Consortium (OGC) and ISO have created web service interface standards for publishing, accessing, and visualizing spatio-temporal information (de la Beaujardiere 2006). The standards emerging from the OGC Sensor Web Enablement Initiative (SWE) are designed to collect sensor measurements in a standardized way and augment the sensor data with the spatio-temporal dimension (Bröring et al. 2011). Thus, any machine control data or timber log data, mostly in the format of the standard for forest machine data and communication (StanForD) (Arraiolos et al. 2011; Fritz et al. 2010), can be coupled with a spatial and temporal reference. StanForD constitutes a de-facto standard that covers all types of data communications present in forest machines. In addition, standards of SWE guarantee standardized transmission, storage and dissemination of the sensor data. SWE-enabled services will be designed to support the discovery of sensor assets (harvesters, trucks, etc.) and capabilities, access to those resources and data retrieval, subscription to alerts, and tasking of sensors to control observations (Bröring et al. 2011).

As a first step toward standardization in the wood supply chain, Von Schnetzler et al. (2009) propose a modification of the generally used supply chain operations reference (SCOR) model to describe and standardize the wood supply chain. This model enables a generalized mapping of forest reality and ensures a common understanding, for describing and analyzing processes, interfaces, etc. (Von Schnetzler et al. 2009). Santa-Eulalia et al. (2010, 2011) present FORAC architecture for modeling agent-based simulation for supply chain planning (FAMASS) as a framework to

provide a uniform representation of distributed advanced planning and scheduling systems using agent technology to support simulation analysts. Within this context, Frayret et al. (2007) also present a generic software architecture to combine agent-based technology and operations research-based tools in order to integrate the ability of agent technology in distributed decision problems, and use operations research (OR) to develop and exploit-specific normative decision models.

Collaboration

Addressing the interoperability requirements is mandatory but not in itself sufficient to assure effective collaboration between the agents of the FbSC. Previous research already established the importance of collaboration to increase the efficiency of multi-echelon supply chain SC (e.g., Barratt 2004; Holweg et al. 2005; Mesfun and Toffolo 2015). Collaboration approaches are identified as the key to unveil the potential cost optimization and profitability (Audy et al. 2012a; Beaudoin et al. 2010; Frisk et al. 2010; Lehoux et al. 2011). Yet, implemented examples of collaborative systems are still hardly found. Some examples of interfirm collaboration were studied in forest logistics and transportation. Carriers or shipping companies collaborate by pooling their needs, requests, and/or resources to obtain significant cost reductions (Agarwal and Ergun 2010; Audy and D’Amours 2008; Audy et al. 2011; Carlsson and Rönnqvist 2007; Frisk et al. 2010). Current hurdles in implementing collaboration approaches in the FbSC are to be found in company policies that hinder the cooperation between different stakeholders. Mostly these restrictive company policies are fueled by confidentiality of data and cost allocation problems between the partners (Marques et al. 2015). In addition, a lack of technical solutions and standards to share data and information may prevent stakeholders to cooperate in the FbSC—as existing solutions would require a certain investment in technical capabilities of the stakeholders. If a FbSC is dominated by SMEs, these investments in technical capabilities could be a hurdle for implementing collaborative approaches—such as a semantic web approach for sharing data in the FbSC (Weinberger and Scholz 2018).

To implement collaboration approaches, a number of techniques exist. First, there are approaches from OR, in which mathematical formulations, exact and heuristic solution methods, have been used to optimize and integrate the perspective of different agents (e.g., sawmill and haulers) (D’Amours et al. 2008, Akhtari and Sowlati 2015; Gautam et al. 2014; Kurniawan et al. 2011; Machani et al. 2014; Mansoornejad et al. 2010). Second,

economic models exist that address the distribution of costs and benefits among stakeholders such as incentives or cost/savings allocation mechanisms (Audy et al. 2007; Forsberg et al. 2005). Some researchers focus on collaborative strategies, such as vendor management inventory (VMI) or collaborative forecasting, where collaborative planning, forecasting and replenishment (CFPR) is the more recent methodology. Both approaches are based on information exchange and joint decisions. Examples in the forestry sector are described in Lehoux et al. (2007, 2011).

Existing frameworks (Audy et al. 2012b; Arraiolos et al. 2011; Azouzi and D'Amours 2011; Little and Manzano 2012; Zhang et al. 2016; Jerbi et al. 2015) identify crucial issues, originating from interactions among involved agents in FbSCs (e.g., the information exchange or the cost/savings distribution issue). However, they fail to provide tools to identify opportunities within the supply chain for which implementation of such collaborative strategies would be beneficial. Furthermore, when talking about collaboration a lot of questions arise related to confidentiality of data and agreements on cost allocation (Marques et al. 2015).

Guidelines for the Future Development of Technologies in Forest-Based Supply Chains

Based on the literature review and researchers' past experiences, guidelines have been defined to guide future research and development toward a seamless information flow for integrated management of FbSCs, facilitating data exchange and collaboration.

Strengthen the Planning with a Tight Integration of Strategic and Tactical Levels As Well As to Provide Easy-to-Use Optimization Tools for Professionals

A tight integration of strategic and tactical planning is not that common in practice. This poses a clear challenge to effectively utilize strategic planning for optimal supply chain management.

Much research has been conducted in OR about forest planning, but few IT tools are available for and utilized by professionals. This is especially true in Central Europe where conditions are challenging to implement simulation of forest growth and management operations at the detail level required for optimization. Main challenges are related to heterogeneous site conditions, close-to-nature silviculture, multiple purposes forestry, and the ownership structure.

Extend the Technological Capabilities of Forest-Based Supply Chains with Sensors

Fostering sustainability and efficiency in FbSCs requires monitoring harvesting operations and giving real-time feedback to all included actors in this process. The target must be to decrease the reaction time to the various requests such as machine problems, declining productivity, delay in the harvest, or new demands from sawmills. The clear process orientation (as opposite to machine orientation) provides extra value for the typical, complex multi-partner value chains in forest harvesting.

Generally, there is a need for an integrated, (near) real-time, process-oriented solution combining sensor measurements, position, and spatial data. Thus, relevant data for the supply chain—e.g., of the trucks and the harvesting machinery—can be visualized in (near) real time utilizing the map metaphor, the web-based GISs. In addition, the integration of various sensor measurements with positional data enables, e.g., the detection of deviation from an optimized haulage plan, which in turn can notify a logistics manager or an optimization system. Finally, this enhances the current situation, as current supply chain (SC) optimization solutions have a rather static nature—i.e., they generate optimized plans for a given situation. By utilizing (near) real-time monitoring capabilities, the system can react instantaneously and alter the plans for, e.g., trucks accordingly in real time.

RFID already proved to be useful to track wood products along the value chain. The possibilities to extend its technological capabilities with sensor measurement, like moisture, has not yet been assessed for practical usage. However, this represents an important issue considering the quality of wood-based product, especially biomass, and its deterioration along the value chain.

Implement a New and an Innovative Approach to Integrate Planning and Control

All kinds of events may require an immediate or less urgent changing of the existing, optimized plan (Broman et al. 2009; Rosset et al. 2015). For example, after the storm Gudrun, there was a direct shortage of both harvest and transportation capacities for the forest company Sveaskog, requiring the over-night adaptation of the existing logistic planning (Broman et al. 2009).

The planning models, described earlier, are designed to define the optimal allocation of resources with respect to objectives, requirements, and constraints of the stakeholders in the supply chains (Rosset et al. 2015). Control techniques detect deviations of the plan that may cause interventions that require altered plans for the stakeholders (Rosset et al.

2015). Among the control techniques, model predictive control (MPC) has proved to be an attractive alternative to apply in SC management (Sarimveis et al. 2008). The main advantages of MPC in SCs are its ability to deal with variability in supply and demand (Wang et al. 2007; Puigjaner and Lainez 2008) and the possibility to integrate constraints in the process (Wang et al. 2007). A preliminary analysis highlights the benefits of MPC in a biomass supply chain in Finland (Pinho et al. 2015).

Model predictive control represents a new way to consider FbSCs in terms of dynamically interconnected tanks (e.g., wood material at different planning and processing stages), which levels are supervised and anticipated as well as adjusted in an (half-)automated and optimized way to comply with target stock levels and constraints. Depicted as such, MPC represents potentially a powerful technology for collaboration among SC actors. Sensor data will play a major role to supervise stock levels in an automated way, when stressing the metaphor of interconnected tanks.

However, the chances of success mainly depend on the willingness of SC stakeholders to share their data. From the technological point of view, the challenges are:

1. To define which part of planning and control can be delegated to MPC, especially which operations to adjust stock levels over time in an automated way.
2. The integration of MPC with planning tools on a strategic, tactical, and operational level.
3. To tackle the functionalities related with supervision and anticipation within the MPC model itself.

Develop a Platform for Bottom-Up Integration of IT Solutions

Within the FlexWood project (Fritz et al. 2010; Koch and Unrau 2012; Little and Manzano 2012) a top-down approach has been applied to create a solution for the supply chain of wood sourcing to a sawmill (Koch and Unrau 2012). However, in order to be attractive for users and to support integration and collaboration in SCs, the platform should be:

1. applicable to any supply chain within the realm of the forest-based production sector, or any other sector sharing similar characteristics of dynamically changing resources with geographically distributed sourcing, e.g., agriculture;
2. based on a bottom-up approach of bringing together already existing solutions for different pieces of a

supply chain to support optimal planning and control of the whole supply chain;

This implies that several integration techniques need to be supported as well as different data contents. Although certain common characteristics do exist, the data content used in planning is often case specific. Therefore, a rigid approach to “standardizing” the data specification for the integrating platform is a moot point. A flexible data structure, allowing format changes on a case-by-case basis, might fit better in such an integrating platform.

Although software solutions for other SCs exist that encompass the management and/or documentation of the whole SC, the objective here is to create a platform that is capable of integrating different solutions that cover different parts of the SC with the help of standardization. The application of solutions from other SCs may seem as valid option, but the adoption of solutions fitted to other SCs fails to cope with the complexity of the FbSC—either in the number of stakeholders, products and different tasks to accomplish. This is also mentioned in Rönqvist et al. (2015) that describe 33 open problems to optimize the FbSC. To our knowledge, no IT solution integrates all data on the supply chain (forest management, harvesting, transportation, and wood processing). The challenge will be to head towards ubiquitous access to process management data. The feasibility to develop such an integrating platform has been proven in the EU/FP7-funded FOCUS project—Advances in Forestry Control and Automation Systems in Europe.

Promote Collaboration Among the Supply Chain Actors

Collaboration allows improving the profitability of FbSCs. It provides opportunities to improve SC efficiency without large investments by sharing needs and/or resources. It also requires additional planning and control integration of the entire SC. For doing so, it is necessary to develop a methodology that takes advantage of the existing collaboration partnerships but also that identifies new collaborative opportunities and supports their implementation.

Conclusions

Since the activities in the FbSC are performed by various entities, complex interdependencies between different entities result in inefficient supply chains due to opposing objectives and actions by the stakeholders. It is clear that collaboration between stakeholders will provide opportunities to improve FbSC efficiency, but they can hardly be realized without large investments by sharing needs and/or

resources. However, solving these issues requires a seamless information flow to foster cooperation and collaboration in the supply chain.

From the literature, the authors identify that a variety of optimization models and tools exist concerning the planning in FbSCs. Most models focus on one or only a few forest-planning problems. Therefore, it is necessary to strengthen the planning with an integration of models addressing the decisions on strategic, operational, and tactical level as well as to provide easy-to-use optimization tools for professionals. However, an optimized planning will not support the collaboration and cooperation between the stakeholders in the supply chain. Although preliminary, indications point to the added value of model predictive control in combination with sensor technologies.

The literature review of this article revealed that there is no specific piece of software missing to optimize and track the FbSC, as there are numerous products on the market and scientific initiatives/projects around. The crucial issues are to integrate the heterogeneous systems present in the FbSC and to share data between the stakeholders involved. In order to coordinate different actors in the FbSC, systems utilizing model predictive control approaches could be implemented. These systems rely on a (near) real-time, and accurate digital representation of the reality (i.e., the FbSC), which can be achieved with the help of sensor measurements.

The proposed integrated system architecture allows the combination of approaches for planning and control of

(forest-based) supply chains with sensor technology and geographic information systems. This platform serves as the basis for the collaboration between the stakeholders of the supply chain and for integrating and sharing data over the whole supply chain in both vertical and horizontal dimensions. This platform ensures the advantage of the existing collaboration partnerships but also that identifies new collaborative opportunities and supports their implementation. In addition, the modular development of the architecture allows easy addition or removal of models and approaches without changing the core of the architecture, questioning the foundations of the system, or requiring major, new developments.

Acknowledgements This research has received funding from the European Union Seventh Framework Programme (FP7/2007-2013) under grant agreement no. 604286 and called “FOCUS” (Advances in Forestry Control and Automation Systems in Europe). The authors wish to acknowledge the contributions of the members of the FOCUS consortium. Further funding was obtained from the Project “NORTE-01-0145-FEDER-000020 (TEC4Growth—Pervasive Intelligence, Enhancers and Proofs of Concept with Industrial Impact)”, financed by the North Portugal Regional Operational Programme (NORTE 2020), under the PORTUGAL 2020 Partnership Agreement, and through the European Regional Development Fund (ERDF).

Appendix

List of papers for the literature review and their classification

Author	Year	Title	Type	Digital technology	Processes of FbSCs	Value chain type
Akhtari and Sowlati	2015	Hybrid simulation and optimization approaches to tackle supply chain complexities—A review with a focus on forest products supply chains	Journal	Interoperability and integration	Procurement	Lumber
Akhtari et al.	2014	Optimal flow of regional forest biomass to a district heating system	Journal	Planning systems	Procurement	Biomass
Alam et al.	2012	Modeling Woody Biomass Procurement for Bioenergy Production at the Atikokan Generating Station in Northwestern Ontario	Journal	Planning systems	Procurement	Biomass
Alayet et al.	2016	Centralized supply chain planning model for multiple forest companies	Journal	Planning systems	Procurement	Lumber
Andalaft et al.	2003	A problem of forest harvesting and road building solved through model strengthening and Lagrangean relaxation	Journal	Planning systems	Procurement	Lumber
Andersson et al.	2008	RuttOpt—A decision support system for routing of logging trucks	Journal	Planning systems	Procurement	Lumber

Table (continued)

Author	Year	Title	Type	Digital technology	Processes of FbSCs	Value chain type
Andersson et al.	2016	A model approach to include wood properties in log sorting and transportation planning	Journal	Planning systems	Procurement	Lumber
Arraiolos et al.	2011	ICT deployment strategy in Aquitaine WSC: The ExploTIC breakthrough	Conference proceedings	Interoperability and integration	Procurement	Lumber
Audy and D'Amours	2008	Impact of benefit sharing among companies in the implantation of a collaborative transportation system—An application in the furniture industry	Book	Interoperability and integration	Distribution	other
Audy et al.	2011	Cost allocation in the establishment of a collaborative transportation agreement—an application in the furniture industry	Journal	Interoperability and integration	Distribution	other
Audy et al.	2007	Virtual transportation manager: a web-based system for transportation optimization in a network of business units	Conference proceedings	Interoperability and integration	Procurement	Lumber
Audy et al.	2012a	Planning methods and decision support systems in vehicle routing problems for timber transportation: a review	Report	Planning systems	Procurement	Lumber
Azouzi and D'Amours	2011	Information and Knowledge sharing in the collaborative Design of Planning Systems within the Forest Products Industry: Survey, Framework and Roadmap	Journal	Interoperability and integration	Procurement	Lumber
Bajgiran et al.	2017	Forest harvesting planning under uncertainty: a cardinality-constrained approach	Journal	Planning systems	Procurement	Lumber
Beaudoin et al.	2008	Hierarchical forest management with anticipation: an application to tactical–operational planning integration	Journal	Planning systems	Procurement	Lumber
Beaudoin et al.	2010	Negotiation-based distributed wood procurement planning within a multi-firm environment	Journal	Planning systems	Procurement	Lumber
Beaudoin et al.	2007	Tactical supply chain planning in the forest products industry through optimization and scenario-based analysis	Journal	Planning systems	Procurement	Lumber
Bredström et al.	2010	Annual planning of harvesting resources in the forest industry	Journal	Planning systems	Procurement	Lumber
Broman et al.	2009	Supply Chain Planning of Harvest and Transportation Operations after the Storm Gudrun	Journal	Planning systems	Procurement	Lumber
Broz et al.	2017	Strategic planning in a forest supply chain: a multigoal and multiproduct approach	Journal	Planning systems	Procurement	Lumber
Cambero et al.	2015	Strategic optimization of forest residues to bioenergy and biofuel supply chain	Journal	Planning systems	Procurement	Biomass
Carlsson and Rönnqvist	2007	Backhauling in forest transportation: models, methods, and practical usage.	Journal	Planning systems	Procurement	Lumber

Table (continued)

Author	Year	Title	Type	Digital technology	Processes of FbSCs	Value chain type
Carlsson and Rönnqvist	2005	Supply chain management in forestry-case studies at Södra Cell AB	Journal	Planning systems	Procurement	all
Carlsson et al.	1998	Operative planning and dispatching of forestry transportation	Journal	Planning systems	Procurement	Lumber
Castonguay and Gingras	2014	FPIInnovations' FPSuite™ Monitoring Tools: an integrated platform to monitor the entire forest supply chain	Book	Process data collection tools	Procurement	Lumber
Chang and Gaston	2014	The competitiveness of Canadian softwood lumber: a disaggregated trade-flow analysis	Journal	Planning systems	Sales	Lumber
Chauhan et al.	2009	Multi-commodity supply network planning in the forest supply chain	Journal	Planning systems	Procurement	Lumber
Chauhan et al.	2011	Supply network planning in the forest supply chain with bucking decisions anticipation	Journal	Planning systems	Procurement	Lumber
Czabke	2007	Lean thinking in the secondary wood products industry: challenges and benefits	Other	Interoperability and integration	Production	other
D'Amours et al.	2008	Using operational research for supply chain planning in the forest products industry	Journal	Planning systems	Procurement	all
Dansereau et al.	2010	Sustainable Supply Chain Planning for the Forest Biorefinery	Journal	Planning systems	Procurement	Biomass
De Meyer et al.	2015	A generic mathematical model to optimize strategic and tactical decisions in biomass-based supply chains (OPTIMASS)	Journal	Planning systems	Procurement	Biomass
De Meyer et al.	2016	Considering biomass growth and regeneration in the optimization of biomass supply chains	Journal	Planning systems	Procurement	Biomass
Dems et al.	2017	Annual timber procurement planning with bucking decisions	Journal	Planning systems	Procurement	Lumber
Dems et al.	2015	Effects of different cut-to-length harvesting structures on the economic value of a wood procurement planning problem	Journal	Planning systems	Procurement	Lumber
Devlin et al.	2008	Timber haulage routing in Ireland: an analysis using GIS and GPS	Journal	Process data collection tools	Procurement	Lumber
Dong and Wang	2010	Optimization of Timber Procurement and Logistics	Conference proceedings	Planning systems	Procurement	Lumber
Eker	2011	Assessment of procurement systems for unutilized logging residues for Brutian pine forest of Turkey	Journal	Planning systems	Procurement	Biomass
El Hachemi et al.	2009	A heuristic to solve the weekly log-truck scheduling problem.	Conference proceedings	Planning systems	Procurement	Lumber
El Hachemi et al.	2011a	A heuristic to solve the synchronized log-truck scheduling problem	Journal	Planning systems	Procurement	Lumber
	2011b		Journal		Procurement	Lumber

Table (continued)

Author	Year	Title	Type	Digital technology	Processes of FbSCs	Value chain type
El Hachemi et al.		A hybrid constraint programming approach to the log-truck scheduling problem		Planning systems		
Epstein et al.	1999	A system for the design of short-term harvesting strategy	Journal	Planning systems	Procurement	Lumber
Epstein et al.	2006	A combinatorial heuristic approach for solving real-size machinery location and road design problems in forestry planning	Journal	Planning systems	Procurement	Lumber
Ezzati et al.	2015	An optimization model to solve skidding problem in steep slope terrain	Journal	Planning systems	Procurement	Lumber
Flisberg et al.	2009	A hybrid method based on linear programming and tabu search for routing of logging trucks	Journal	Planning systems	Procurement	Lumber
Flisberg et al.	2012	FuelOpt: a decision support system for forest fuel logistics	Journal	Planning systems	Procurement	Biomass
Föhr et al.	2014	Cost-Benefit Analysis for Forest Biomass Supply Chains by Using RFID-Technology and Interchangeable Containers	Conference proceedings	Process data collection tools	Procurement	Biomass
Forsberg et al.	2005	FlowOpt—A decision support tool for strategic and tactical transportation planning in forestry	Journal	Planning systems	Procurement	Lumber
Frayet et al.	2007	Agent-based supply chain planning in the forest products industry	Journal	Planning systems	Procurement	Lumber
Frisk et al.	2010	Cost allocation in collaborative forest transportation.	Journal	Interoperability and integration	Procurement	Lumber
Fritz et al.	2010	FlexWood: Description of standards.	Report	Interoperability and integration	entire supply chain	Lumber
Gautam et al.	2014	Value-adding through silvicultural flexibility: an operational level simulation study	Journal	Interoperability and integration	Procurement	Lumber
Gautam et al.	2015	Modeling hierarchical planning process using a simulation-optimization system to anticipate the long-term impact of operational level silvicultural flexibility	Journal	Planning systems	Procurement	Lumber
Gerasimov and Sokolov	2014	Decision Making Toolset for Woody Biomass Supply Chain in Karelia	Journal	Planning systems	Procurement	Biomass
Ghaffariyan et al.	2013	Analyzing the effect of five operational factors on forest residue supply chain costs: A case study in Western Australia	Journal	Planning systems	Procurement	Biomass
Gronalt and Hirsch	2007	Log truck scheduling with a tabu search strategy	Book	Planning systems	Procurement	Lumber
Gruber and Scholz	2005	GIS-based Planning of Forest Road Networks	Conference proceedings	Planning systems	Procurement	Lumber
Guignard et al.	1998		Journal		Procurement	Lumber

Table (continued)

Author	Year	Title	Type	Digital technology	Processes of FbSCs	Value chain type
		Model tightening for integrated timber harvest and transportation planning		Planning systems		
Gunnarsson et al.	2004	Supply chain modeling of forest fuel	Journal	Planning systems	Procurement	Biomass
Häkli et al.	2013	Challenges and possibilities of RFID in the forest industry	Book	Process data collection tools	entire supply chain	other
Henningsson et al.	2007	Optimization models for forest road upgrade planning	Journal	Planning systems	Procurement	other
Hirsch and Gronalt	2008	Optimization techniques to reduce empty truck loads in round timber transport	Journal	Planning systems	Procurement	Lumber
Holweg et al.	2005	Supply Chain Collaboration: Making Sense of the Strategy Continuum	Journal	Interoperability and integration	entire supply chain	other
Holzleitner et al.	2011	Analyzing time and fuel consumption in road transport of round wood with an onboard fleet manager	Journal	Process data collection tools	Procurement	Lumber
Jerbi et al.	2015	Optimization/simulation-based Framework for the Evaluation of Supply Chain Management Policies in the Forest Product Industry	Conference proceedings	Interoperability and integration	Procurement	Lumber
Jones and Ohlmann	2008	Long-range timber supply planning for a vertically integrated paper mill	Journal	Planning systems	Procurement	Pulp & Paper
Kangas et al.	2008	Decision support for forest management	Book	Planning systems	Procurement	Lumber
Karlsson et al.	2006	RoadOpt: A decision support system for road upgrading in forestry.	Journal	Planning systems	Procurement	Lumber
Koch and Unrau	2012	Final report FlexWood project.	Report	Interoperability and integration	entire supply chain	Lumber
Kong and Rönnqvist	2014	Coordination between strategic forest management and tactical logistic and production planning in the forestry supply chain	Journal	Planning systems	Procurement	Lumber
Kong et al.	2015	Using mixed integer programming models to synchronously determine production levels and market prices in an integrated market for round wood and forest biomass	Journal	Planning systems	Procurement	Biomass
Korten and Kaul	2008	Application of RFID (radio frequency identification) in the timber supply chain	Journal	Process data collection tools	Procurement	Lumber
Kühmaier and Stampfer	2012	Development of a Multi-Criteria Decision Support Tool for Energy Wood Supply Management	Journal	Planning systems	Procurement	Biomass

Table (continued)

Author	Year	Title	Type	Digital technology	Processes of FbSCs	Value chain type
Kurniawan et al.	2011	Integration of Production and Supply Chain Strategic Planning for Renewable Resources under Sustainability Considerations: Teak-wood Case Study	Journal	Interoperability and integration	Procurement	Lumber
Lappi and Lempinen	2008	A linear programming algorithm and software for forest-level planning problems including factories	Journal	Planning systems	Procurement	Lumber
Laroze and Greber	1997	Using tabu search to generate stand level, rule-based bucking patterns	Journal	Planning systems	Procurement	Lumber
Laukkanen et al.	2004	Applying voting theory in participatory decision support for sustainable timber harvesting	Journal	Planning systems	Procurement	Lumber
Leduc et al.	2012	CHP or biofuel production in Europe?	Report	Planning systems	Production	Biomass
Lehoux et al.	2007	Collaboration and decision models for a two-echelon supply chain: A case study in the pulp and paper industry	Report	Planning systems	Distribution	Pulp & Paper
Lehoux et al.	2011	Collaboration for a two-echelon supply chain in the pulp and paper industry: the use of incentives to increase profit	Journal	Interoperability and integration	Distribution	Pulp & Paper
Little and Manzano	2012	FlexWood: Design of the overall architecture	Report	Interoperability and integration	Procurement	Lumber
Machani et al.	2014	A mathematically-based framework for evaluating the technical and economic potential of integrating bioenergy production within pulp and paper mills	Journal	Interoperability and integration	Production	Pulp & Paper
Mansoornejad et al.	2010	Integrating product portfolio design and supply chain design for the forest biorefinery	Journal	Interoperability and integration	entire supply chain	Biomass
Marques et al.	2015	A comprehensive framework for developing interfirm collaboration—A study in the forest-based supply chain	Journal	Interoperability and integration	Procurement	Lumber
Marques et al.	2014	Combining optimization and simulation tools for short-term planning of forest operations	Journal	Planning systems	Procurement	Lumber
Marshall et al.	2006	Three mathematical models for bucking-to-order	Journal	Planning systems	Procurement	Lumber
Martín-Fernández and García-Abril	2005	Optimization of spatial allocation of forestry activities within a forest stand	Journal	Planning systems	Procurement	Lumber
Mesfun and Toffolo	2015	Integrating the processes of a Kraft pulp and paper mill and its supply chain	Journal	Interoperability and integration	entire supply chain	Pulp & Paper

Table (continued)

Author	Year	Title	Type	Digital technology	Processes of FbSCs	Value chain type
Mirkouei and Haapala	2015	A network Model to Optimize Upstream and Midstream Biomass –to-Bioenergy Supply Chain Costs	Conference proceedings	Planning systems	entire supply chain	Biomass
Mitchell	2005	Methods of moisture content measurement in the lumber and furniture industries	Report	Process data collection tools	Procurement	Lumber
Montgomery et al.	2016	Modeling work plan logistics for centralized biomass recovery operations in mountainous terrain	Journal	Planning systems	Procurement	Biomass
Murphy et al.	2012	Current and Potential Tagging and Tracking Systems for Logs Harvested from Pacific Northwest Forests	Journal	Process data collection tools	Procurement	Lumber
Murray and Church	1995	Heuristic solution approaches to operational forest planning problems	Journal	Planning systems	Procurement	Lumber
Muys et al.	2010	Simulation tools for decision support to adaptive forest management in Europe	Journal	Planning systems	Procurement	Lumber
Myers and Richards	2003	Supporting wood supply chain decisions with simulation for a mill in northwestern BC	Journal	Planning systems	Procurement	Lumber
Natarajan et al.	2012	Optimal Locations for Methanol and CHP Production in Eastern Finland	Journal	Planning systems	Production	Biomass
Ouhimmou et al.	2009	Optimization Helps Shermag Gain Competitive Edge	Journal	Planning systems	Procurement	Lumber
Palander	2011b	Modeling renewable supply chain for electricity generation with forest, fossil, and wood-waste fuels	Journal	Planning systems	Procurement	Biomass
Palander	2011a	Technical and economic analysis of electricity generation from forest, fossil, and wood-waste fuels in a Finnish heating plant	Journal	Planning systems	Procurement	Biomass
Palander and Voutilainen	2013	Modeling fuel terminals for supplying a combined heat and power (CHP) plant with forest biomass in Finland	Journal	Planning systems	Procurement	Biomass
Palander and Väättäin	2005	Impacts of interenterprise collaboration and backhauling on wood procurement in Finland	Journal	Interoperability and integration	Procurement	Lumber
Palmgren et al.	2003	A solution approach for log truck scheduling based on composite pricing and branch and bound	Journal	Planning systems	Procurement	Lumber
Palmgren et al.	2004	A near-exact method for solving the log-truck scheduling problem	Journal	Planning systems	Procurement	Lumber
Paradis et al.	2013	On the risk of systematic drift under incoherent hierarchical forest management planning	Journal	Planning systems	Procurement	Lumber

Table (continued)

Author	Year	Title	Type	Digital technology	Processes of FbSCs	Value chain type
Parker et al.	2010	Development of a biorefinery optimized biofuel supply curve for the Western United States	Journal	Planning systems	Procurement	Biomass
Ranta et al.	2014	Supply Logistics Modeling for Large-Scale Biomass Users	Conference proceedings	Planning systems	Procurement	Biomass
Rey et al.	2009	A column generation model for truck routing in the Chilean forest industry	Journal	Planning systems	Procurement	Lumber
Rönnqvist and Ryan	1995	Solving truck despatch problems in real time	Conference proceedings	Planning systems	Procurement	Lumber
Rönnqvist et al.	2015	Operations Research challenges in forestry: 33 open problems	Journal	Planning systems	entire supply chain	all
Rosset et al.	2015	Planning and control of forest-based supply chains utilizing an integrated model-based approach with focus on forest ecosystem management	Conference proceedings	Interoperability and integration	Procurement	all
Rosset et al.	2014	MOTI—L'inventaire forestier facilité par le smartphone	Report	Process data collection tools	Procurement	Lumber
Rossmann et al.	2008	The Virtual Forest—Space- and robotics technology for the efficient and environmentally compatible growth-planning and mobilization of wood resources	Book	Interoperability and integration	Procurement	Lumber
Santa-Eulalia et al.	2011	Agent-based experimental investigations of the robustness of tactical planning and control policies in a softwood lumber supply chain	Journal	Planning systems	Procurement	Lumber
Santa-Eulalia et al.	2010	Modeling Agent-Based Simulations for Supply Chain Planning: the FAMASS Methodological Framework	Conference proceedings	Planning systems	Procurement	Lumber
Scholz	2015	Spatial Adaptive Large Neighborhood Search for Wood Supply Chain Optimization	Journal	Planning systems	Procurement	Lumber
Scholz	2010	Real-time spatial optimization	Book	Interoperability and integration	Procurement	Lumber
Scholz	2011	System architecture for spatial decision support in wood supply chain management	Book	Interoperability and integration	Procurement	Lumber
Scholz et al.	2008	Optimizing the wood supply chain—concept and methods	Journal	Planning systems	Procurement	Lumber
Shabani and Sowlati	2016a	Evaluating the impact of uncertainty and variability on the value chain optimization of a forest biomass power plant using Monte Carlo Simulation	Journal	Planning systems	entire supply chain	Biomass

Table (continued)

Author	Year	Title	Type	Digital technology	Processes of FbSCs	Value chain type
Shabani et al.	2014	Tactical supply chain planning for a forest biomass power plant under supply uncertainty	Journal	Planning systems	entire supply chain	Biomass
Shabani and Sowlati	2016b	A hybrid multi-stage stochastic programming-robust optimization model for maximizing the supply chain of a forest-based biomass power plant considering uncertainties	Journal	Planning systems	entire supply chain	Biomass
Sharifzadeh et al.	2015	Supply chain network design and operation: Systematic decision-making for centralized, distributed, and mobile biofuel production using mixed integer linear programming (MILP) under uncertainty	Journal	Planning systems	Procurement	Biomass
Sosa et al.	2015	Controlling moisture content and truck configurations to model and optimize biomass supply chain logistics in Ireland	Journal	Planning systems	Procurement	Biomass
Stängle et al.	2014	Clear wood content in standing trees predicted from branch scar measurements with terrestrial LiDAR and verified with X-ray computed tomography	Journal	Process data collection tools	Procurement	Lumber
van Dyken et al.	2010	Linear mixed integer models for biomass supply chains with transport, storage and processing	Journal	Planning systems	Procurement	Biomass
Vaskovic et al.	2015	Multi-Criteria Optimization Concept for the Selection of Optimal Solid Fuels Supply Chain from Wooden Biomass	Journal	Planning systems	Procurement	Biomass
Vergara et al.	2015	Impact of timber volume and grade estimation error on the British Columbia Coastal supply chain	Journal	Planning systems	Procurement	Lumber
Von Schnetzer et al.	2009	The Supply Chain Operations Reference (SCOR)-Model to describe the value-added chain in forestry	Journal	Interoperability and integration	Procurement	Lumber
Weintraub et al.	1996	A truck scheduling system improves efficiency in the forest industries	Journal	Planning systems	Procurement	Lumber
Xie and Huang	2015	Sustainable Biofuel Supply Chain Planning and Management Under Uncertainty	Journal	Planning systems	Procurement	Biomass
Zhang et al.	2016	Decision support system integrating GIS with simulation and optimization for a biofuel supply chain	Journal	Planning systems	Procurement	Biomass

References

- Aber JS, Sobieski RJ, Distler DA, Nowak MC (1999) Kite aerial photography for environmental site investigations in Kansas. *Trans Kans Acad Sci* 102(1/2):57–67
- Adams P, Ashwell G, Baxter R (2004) Location-based services - an overview of the standards. *Btexact Commun Technol Ser* 8:43–58
- Agarwal R, Ergun Ö (2010) Network design and allocation mechanisms for carrier alliances in liner shipping. *Oper Res* 58(6):1726–1742
- Akhtari S, Sowlati T (2015) Hybrid simulation and optimization approaches to tackle supply chain complexities – a review with a focus on forest products supply chains. *The Journal of Science and Technology for Forest Products and Processes. Spec Issue Value Chain Optim* 5(5):26–39
- Akhtari S, Sowlati T, Day K (2014) Optimal flow of regional forest biomass to a district heating system. *Energy Res* 38(7):954–964
- Alam MB, Pulkki R, Shahi C, Upadhyay T (2012) Modeling woody biomass procurement for bioenergy production at the Atikokan Generating Station in Northwestern Ontario. *Energies* 5(12):5065–5085
- Alayet C, Lehoux N, Lebel L, Bouchard M (2016) Centralized supply chain planning model for multiple forest companies. *Inf Syst Oper Res* 54(3):171–191
- Ambrosia VG, Wegener SS, Sullivan DV, Buechel SW, Dunagan SE, Brass JA, Stoneburner J, Schoenung SM (2003) Demonstrating UAV-acquired real-time thermal data over fires. *Photogramm Eng Remote Sens* 69:391–402
- Andalaft N, Andalaft P, Guignard M, Magendzo A, Wainer A, Weintraub A (2003) A problem of forest harvesting and road building solved through model strengthening and Lagrangean relaxation. *Oper Res* 51(4):613–628
- Andersson G, Flisberg P, Bertil L, Rönnqvist M (2008) RuttOpt — a decision support system for routing of logging trucks. *Can J Res* 38(7):1784–1796
- Andersson G, Flisberg P, Nordstrom M, Rönnqvist M, Wilhelmsson L (2016) A model approach to include wood properties in log sorting and transportation planning. *Inf Syst Oper Res* 54(3):282–303
- Arraiolos A, Vuillemoz M, Bigot M (2011) ICT deployment strategy in aquitaine WSC: the ExploTIC breakthrough. In: *Proceedings of 34th council of forest engineering*, 12–15 June 2011, Quebec City, Canada, pp 1–13
- Audy JF, D'Amours S (2008) Impact of benefit sharing among companies in the implantation of a collaborative transportation system - an application in the furniture industry. In: Camarinha-Matos LM, Picard W (eds) *Pervasive collaborative networks. IFIP advances in information and communication technology*, vol 283. International Federation for Information Processing, Boston, MA, pp 519–532
- Audy JF, D'Amours S, Rönnqvist M (2012a) Planning methods and decision support systems in vehicle routing problems for timber transportation: a review. *Interuniversity Research Centre on Enterprise Networks, Logistics and Transportation CIRRELT. Report number: CIRRELT-2012-38*
- Audy JF, D'Amours S, Rousseau LM (2011) Cost allocation in the establishment of a collaborative transportation agreement—an application in the furniture industry. *J Oper Res Soc* 62(6):960–970
- Audy J-F, Lehoux N, D'Amours J-F, Rönnqvist M (2012b) A framework for an efficient implementation of logistics collaborations. *Int Trans Oper Res* 19(5):633–657
- Audy JF, D'Amours S, Rousseau LM, Favreau J, Marier P (2007) Virtual transportation manager: a web-based system for transportation optimization in a network of business units. In: *Proceedings of the 3rd Forest Engineering Conference*, pp 1–8
- Azouzi R, D'Amours S (2011) Information and knowledge sharing in the collaborative design of planning systems within the forest products industry: survey, framework and roadmap. *J Sci Technol For Prod Process* 1(2):6–14
- Bajgiran OS, Zanjani MK, Noureifath M (2017) Forest harvesting planning under uncertainty: a cardinality-constrained approach. *Int J Prod Res* 55(7):1914–1929
- Barratt M (2004) Understanding the meaning of collaboration in the supply chain. *Supply Chain Manag* 9(1):30–42
- Beaudoin D, Frayret JM, LeBel L (2008) Hierarchical forest management with anticipation: an application to tactical–operational planning integration. *Can J Res* 38(8):2198–2211
- Beaudoin D, Frayret JM, LeBel L (2010) Negotiation-based distributed wood procurement planning within a multi-firm environment. *For Policy Econ* 12(2):79–93
- Beaudoin D, LeBel L, Frayret JM (2007) Tactical supply chain planning in the forest products industry through optimization and scenario-based analysis. *Can J Res* 37(1):128–140
- Berner Fachhochschule (2018). MOTI. <http://www.moti.ch>. Accessed 01 July 2018
- Bravo MdL, Naim MM, Potter A (2012) Key issues of the upstream segment of biofuels supply chains: a qualitative analysis. *Logist Res* 5(1–2):21–31
- Bredström D, Jönsson P, Rönnqvist M (2010) Annual planning of harvesting resources in the forest industry. *Int Trans Oper Res* 17(2):155–177
- Brimicombe A, Li C (2009) Location-based services and geo-information engineering. *Mastering GIS: Technology, applications and management series*. John Wiley & Sons Ltd, Chichester
- Brockfeld E, Lorkowski S, Mieth P, Wagner P (2007) Benefits and limits of recent floating car data technology—an evaluation study. In: *Proceedings of the 11th WCTR Conference, World Conference on Transport Research Society*, pp 1–13
- Broman H, Frisk M, Rönnqvist M (2009) Supply chain planning of harvest and transportation operations after the Storm Gudrun. *Inf Syst Oper Res* 47(3):235–245
- Bröring A, Echtermhoff J, Jirka S, Simonis I, Everding T (2011) New generation sensor web enablement. *Sensors* 11(3):2652–2699
- Broz D, Durand G, Rossit D, Tohmé F, Frutos M (2017) Strategic planning in a forest supply chain: a multigoal and multiproduct approach. *Can J Res* 47(3):297–307
- Cambero C, Sowlati T, Marinescu M, Röser D (2015) Strategic optimization of forest residues to bioenergy and biofuel supply chain. *Int J Energy Res* 39(4):439–452
- Carleer A, Wolff E (2004) Exploitation of very high resolution satellite data for tree species identification. *Photogramm Eng Remote Sens* 70(1):135–140
- Carlsson D, Rönnqvist M (2005) Supply chain management in forestry – case studies at Södra Cell AB. *Eur J Oper Res* 163(3):589–616
- Carlsson D, Rönnqvist M (2007) Backhauling in forest transportation: models, methods, and practical usage. *Can J Res* 37(12):2612–2623
- Carlsson, D, Rönnqvist M, Sahlin H (1998) *Operative planning and dispatching of forestry transportation*, vol 18. LiTH-MAT-R-1998-18, Matematiska Institutionen
- Casbeer DW, Kingston DB, Beard RW, McLain TW (2006) Cooperative forest fire surveillance using a team of small unmanned air vehicles. *Int J Syst Sci* 2006 37:351–360
- Castonguay M, Gingras JF (2014) FPinnovations' FPSuite™ Monitoring Tools: an integrated platform to monitor the entire forest supply chain. In: Ackermann P, Gleasure E, Ham H (Eds.) *Proceedings of the Precision Forestry Symposium 2014: the anchor of your value chain*, 3–5 March 2014, Stellenbosch University,

- South Africa. Matieland, Department of Forest and Wood Science, Faculty of AgriSciences, Stellenbosch University, pp 62–63
- Chang WY, Gaston C (2014) The competitiveness of Canadian softwood lumber: a disaggregated trade-flow analysis. *Can J Res* 44 (12):1494–1506
- Chauhan SS, Frayret JM, LeBel L (2009) Multi-commodity supply network planning in the forest supply chain. *Eur J Oper Res* 196 (2):688–696
- Chauhan SS, Frayret JM, LeBel L (2011) Supply network planning in the forest supply chain with bucking decisions anticipation. *Ann Oper Res* 190(1):93–115
- Czabke J (2007) Lean thinking in the secondary wood products industry: challenges and benefits. Master Thesis, Oregon State University
- de la Beaujardiere J (2006) OpenGIS® web map server implementation specification. Open Geospatial Consortium, Report number: OGC® 06-042
- Dalponte M, Bruzzone L, Gianelle D (2008) Fusion of hyperspectral and LIDAR remote sensing data for classification of complex forest areas. *IEEE Trans Geosci Remote Sens* 46(5):1416–1427
- D'Amours S, Rönnqvist M, Weintraub A (2008) Using operational research for supply chain planning in the forest products industry. *Inf Syst Oper Res* 46(4):265–281
- Dansereau LP, El-Halwagi M, Stuart P (2010) Sustainable supply chain planning for the forest biorefinery. In: Proceedings of the Seventh International Conference on the Foundations of Computer-Aided Process Design, pp 551–558
- D'Roza T, Bilchev G (2003) An overview of location-based services. *BT Technol J* 21(1):20–27
- De Meyer A, Cattrysse D, Van Orshoven J (2015) A generic mathematical model to optimise strategic and tactical decisions in biomass-based supply chains (OPTIMASS). *Eur J Oper Res* 245 (1):247–264
- De Meyer A, Cattrysse D, Van Orshoven J (2014) Methods to optimise the design and management of biomass-for-bioenergy supply chains: a review. *Renew Sustain Energy Rev* 31:657–670
- De Meyer A, Cattrysse D, Van Orshoven J (2016) Considering biomass growth and regeneration in the optimisation of biomass supply chains. *Renew Energy* 87(2):990–1002
- Dems A, Rousseau LM, Frayret JM (2015) Effects of different cut-to-length harvesting structures on the economic value of a wood procurement planning problem. *Ann Oper Res* 232(1):65–86
- Dems A, Rousseau LM, Frayret JM (2017) Annual timber procurement planning with bucking decisions. *Eur J Oper Res* 259 (2):713–720
- Desclée B, Bogaert P, Defourny P (2006) Forest change detection by statistical object-based method. *Remote Sens Environ* 102 (1):1–11
- Detcon Consulting SOA Strategie (2006) Wie eine service-orientierte architektur nachhaltigen nutzen erzeugt. <http://whitepaper.computerwoche.de/whitepaper/wie-eine-service-orientierte-architektur-nachhaltigen-nutzen-erzeugt>. Accessed 28 September 2017
- Devlin GJ, McDonnell K, Ward S (2008) Timber haulage routing in Ireland: an analysis using GIS and GPS. *J Transp Geogr* 16 (1):63–72
- Dong C, Wang L (2010) Optimization of timber procurement and logistics. In: 2010 International Conference on Logistics Systems and Intelligent Management (ICLSIM), Harbin, pp 1949–1952
- Dunford R, Michel K, Gagnage M, Piégay H, Trémelo ML (2009) Potential and constraints of Unmanned Aerial Vehicle technology for the characterization of Mediterranean riparian forest. *Int J Remote Sens* 30(19):4915–4935
- Eker M (2011) Assessment of procurement systems for unutilized logging residues for Brutian pine forest of Turkey. *Afr J Biotechnol* 10(13):2455–2468
- El Hachemi N, Gendreau M, Rousseau LM (2009) A heuristic to solve the weekly log-truck scheduling problem. In: Proceedings of the international conference on industrial engineering and systems management, Montreal, 2009
- El Hachemi N, Gendreau M, Rousseau LM (2011a) A heuristic to solve the synchronized log-truck scheduling problem. *Comput Oper Res* 40(3):666–673
- El Hachemi N, Gendreau M, Rousseau LM (2011b) A hybrid constraint programming approach to the log-truck scheduling problem. *Ann Oper Res* 184(1):163–178
- Epstein R, Nieto E, Weintraub A, Chevalier P, Gabarró J (1999) A system for the design of short term harvesting strategy. *Eur J Oper Res* 119(2):427–439
- Epstein R, Weintraub A, Sapunar P, Nieto E, Sessions JB, Sessions J, Bustamante F, Musante H (2006) A combinatorial heuristic approach for solving real-size machinery location and road design problems in forestry planning. *Oper Res* 54(6):1017–1027
- Ezzati S, Najafi A, Yaghini M, Hashemi AA, Bettinger P (2015) An optimization model to solve skidding problem in steep slope terrain. *J For Econ* 21(4):250–268
- Flisberg P, Frisk M, Rönnqvist M (2012) FuelOpt: a decision support system for forest fuel logistics. *J Oper Res Soc* 63(11):1600–1612
- Flisberg P, Lidén B, Rönnqvist M (2009) A hybrid method based on linear programming and tabu search for routing of logging trucks. *Comput Oper Res* 36(4):1122–1144
- Focus Consortium (2018) FOCUS project website. <http://www.focusnet.eu>. Accessed 01 July 2018
- Föhr J, Karttunen K, Immonen M, Ranta T (2014) Cost-benefit analysis for forest biomass supply chains by using RFID-technology and interchangeable containers. In: 22nd European biomass conference and exhibition, Hamburg, Germany
- Forsberg M, Frisk M, Rönnqvist M (2005) FlowOpt – a decision support tool for strategic and tactical transportation planning in forestry. *Int J For Eng* 16(2):101–114
- Frayret JM, D'Amours S, Rousseau A, Harvey S, Gaudreault J (2007) Agent-based supply chain planning in the forest products industry. *Int J Flex Manuf Syst* 19(4):358–391
- Frisk M, Göthe-Lundgren M, Jörnsten K, Rönnqvist M (2010) Cost allocation in collaborative forest transportation. *Eur J Oper Res* 205(2):448–458
- Fritz A, Schill C, Little J, Opferkuch M, Nordström M, Barth, A, Möller JJ, Arlinger J (2010) FlexWood: description of standards. University of Freiburg FeLis (ALU-FR), report number: deliverable 7.1.
- Gautam S, LeBel L, Beaudoin D (2014) Value-adding through silvicultural flexibility: an operational level simulation study *Int J For Res* 88:213–223
- Gautam S, LeBel L, Beaudoin D, Simard M (2015) Modelling hierarchical planning process using a simulation-optimization system to anticipate the long-term impact of operational level silvicultural flexibility. 15th IFAC Symp Inf Control Probl Manuf IFAC-Pap 48(3):616–621
- Gerasimov Y, Sokolov A (2014) Decision making toolset for woody biomass supply chain in Karelia. *Appl Mech Mater* 459:319–324
- Ghaffariyan MR, Acuna M, Brown M (2013) Analysing the effect of five operational factors on forest residue supply chain costs: a case study in Western Australia. *Biomass Bioenergy* 59:486–493
- Gronalt M, Hirsch P (2007) Log truck scheduling with a tabu search strategy. In: Doerner KF, Gendreau M, Greistorfer P, Gutjahr W, Hartl RF, Reimann M (Eds.) *Metaheuristics: progress in complex systems optimization*. Operations research/computer science interfaces series, vol 39. Springer, New York, pp 65–88
- Gougeon FA, Leckie DG (2003) Forest information extraction from high spatial resolution images using an individual tree crown approach. Natural Resources Canada, Canadian Forest Service,

- Pacific Forestry Centre, Victoria, BC. Information report BC-X-396E, p 27
- Gruber G, Scholz J (2005) GIS based planning of forest road networks. *Angewandte Geoinformatik 2005 - Beiträge zum AGIT-Symposium*. Wichmann Verlag, Heidelberg, Germany, p 218–223
- GS1 EPCglobal Inc. (2018) EPC UHF air interface protocol standard. https://www.gs1.org/sites/default/files/docs/epc/uhf1g2_2_0_0_standard_20131101.pdf. Accessed 10 July 2018
- Guignard M, Ryu C, Spielberg K (1998) Model tightening for integrated timber harvest and transportation planning. *Eur J Oper Res* 111(3):448–460
- Gunnarsson H, Rönnqvist M, Lundgren JT (2004) Supply chain modelling of forest fuel. *Eur J Oper Res* 158(1):103–123
- Häkli J, Sirkka A, Jaakkola K, Puntanen V, Nummela K (2013) Challenges and possibilities of RFID in the forest industry. In: Bin Ibne Reaz M (ed) *Radio frequency identification from system to applications*. InTech, pp 301–324, London
- Henningsson M, Karlsson J, Rönnqvist M (2007) Optimization models for forest road upgrade planning. *J Math Model Algorithms* 6(1):3–23
- Hirsch P, Gronalt M (2008) Optimization techniques to reduce empty truck loads in round timber transport. *Austrian J For Sci* 125(4):267–291
- Hirschmugl M, Ofner M, Raggam J, Schardt M (2007) Single tree detection in very high resolution remote sensing data. *Remote Sens Environ* 110(4):533–544
- Holmgren P, Thureson T (1998) Satellite remote sensing for forestry planning—a review. *Scand J For Res* 13(1–4):90–110
- Holweg M, Disney S, Holmström J, Smaros J (2005) Supply Chain Collaboration: Making Sense of the Strategy Continuum. *Eur Manag J* 23(2):170–181
- Holzleitner F, Kanzian C, Stampfer K (2011) Analyzing time and fuel consumption in road transport of round wood with an onboard fleet manager. *Eur J For Res* 130(2):293–301
- Hung C, Bryson M, Sukkarieh S (2012) Multi-class predictive template for tree crown detection. *ISPRS J Photogramm Remote Sens* 68:170–183
- Jerbi W, Gaudreault J, D'Amours S, Nourelfath M, Lemieux S, Marier P, Bouchard M (2015) Optimization/simulation-based framework for the evaluation of supply chain management policies in the forest product industry. *IEEE international conference on systems, man, and cybernetics*, Seoul, South Korea, pp 1742–1748
- Jin S, Sader SA (2005) Comparison of time series tasseled cap wetness and the normalized difference moisture index in detecting forest disturbances. *Remote Sens Environ* 94(3):364–372
- Jones PC, Ohlmann JW (2008) Long-range timber supply planning for a vertically integrated paper mill. *Eur J Oper Res* 191(2):558–571
- Kangas A, Kangas J, Kurttila M (2008) *Decision support for forest management*. Springer Science, Dordrecht
- Karlsson J, Rönnqvist M, Frisk M (2006) RoadOpt: a decision support system for road upgrading in forestry. *Scand J For Res* 21(S7):5–15
- Koch B, Unrau A (2012) Final report FlexWood project. University of Freiburg
- Kong J, Rönnqvist M (2014) Coordination between strategic forest management and tactical logistic and production planning in the forestry supply chain. *Int Trans Oper Res* 21(5):703–735
- Kong J, Rönnqvist M, Frisk M (2015) Using mixed integer programming models to synchronously determine production levels and market prices in an integrated market for round wood and forest biomass. *Ann Oper Res* 232(1):179–199
- Korten S, Kaul C (2008) Application of RFID (radio frequency identification) in the timber supply chain. *Croat J For Eng* 29(1):85–94
- Kühmaier M, Stampfer K (2012) Development of a multi-criteria decision support tool for energy wood supply Management. *Croat J For Eng* 33(2):181–198
- Kurniawan B, Hisjam M, Sutopo W (2011) Integration of production and supply chain strategic planning for renewable resources under sustainability considerations: teakwood case study. *IEEE international conference on industrial engineering and engineering management*, Singapore
- Lappi J, Lempinen R (2008) A linear programming algorithm and software for forest-level planning problems including factories *Scand J For Res* 29(1):178–184
- Laroze AJ, Greber BJ (1997) Using tabu search to generate stand level, rule-based bucking patterns. *For Sci* 43(2):157–169
- Laukkanen S, Palander T, Kangas J (2004) Applying voting theory in participatory decision support for sustainable timber harvesting. *Can J Res* 34(7):1511–1524
- Leduc S, Wetterlund E, Dotzauer E, Kindermann G (2012) CHP or biofuel production in Europe? *Energy Procedia* 20:40–49
- Lehoux N, D'Amours S, Frein Y, Langevin A, Penz B (2011) Collaboration for a two-echelon supply chain in the pulp and paper industry: the use of incentives to increase profit. *J Oper Res Soc* 62(4):581–592
- Lehoux N, D'Amours S, Langevin A (2007) Collaboration and decision models for a two-echelon supply chain: a case study in the pulp and paper industry. *Interuniversity Research Centre on Enterprise Networks, Logistics and Transportation CIRRELT*. Report number: CIRRELT-2007-38
- Liebhart D (2007) SOA goes real: service-orientierte architekturen erfolgreich planen und einführen. Hanser, München
- Lin Y, Hyyppä J, Jaakkola A (2011) Mini-UAV-borne LIDAR for fine-scale mapping. *IEEE Geosci Remote Sens Lett* 8(3):426–430
- Little J, Manzano O (2012) FlexWood: design of the overall architecture. University of Freiburg. Report number: deliverable 7.2
- Machani M, Nourelfath M, D'Amours S (2014) A mathematically-based framework for evaluating the technical and economic potential of integrating bioenergy production within pulp and paper mills. *Biomass Bioenergy* 63:126–139
- Mafakheri F, Nasiri F (2014) Modeling of biomass-to-energy supply chain operations: applications, challenges and research directions. *Energy Policy* 67:116–126
- Mansoornejad B, Chambost V, Stuart P (2010) Integrating product portfolio design and supply chain design for the forest biorefinery. *Comput Chem Eng* 34(9):1497–1506
- Marques AF, de Sousa JP, Rönnqvist M, Jafe R (2014) Combining optimization and simulation tools for short-term planning of forest operations. *Scand J For Res* 29(1):166–177
- Marques AF, Olmo B, Audy JF, Rocha P (2015) A comprehensive framework for developing interfirm collaboration – a study in the forest-based supply chain. *J FOR* 5(5):51–64
- Marques AF, Fricko A, Kangas A, Rosset C, Ferreti F, Rasinmaki J, Nuutinen T, Gordon S (2013) Empirical guidelines for forest management decision support systems based on the past experiences of the experts community. *For Syst* 22(2):320–339
- Martín-Fernández S, García-Abril A (2005) Optimisation of spatial allocation of forestry activities within a forest stand. *Comput Electron Agric* 49(1):159–174
- Marshall HD, Murphy G, Boston K (2006) Three mathematical models for bucking-to-order. *Silva Fenn* 40(1):127
- Menard C, Scholz J, Diener M (2007) Verkehrsmonitoring unter verwendung location based services. In: 14. Internationale Geodätische Woche, 11–17 February 2007, Obergurgl, Austria, pp 1–11
- Merino L, Caballero F, Ramiro Martinez-de-Dios J, Maza I, Ollero A (2012) An unmanned aircraft system for automatic forest fire monitoring and measurement. *J Intell Robot Syst* 65:533–548

- Mesfun S, Toffolo A (2015) Integrating the processes of a Kraft pulp and paper mill and its supply chain. *Energy Convers Manag* 103:300–310
- Mirkouei A, Haapala KR (2015) A network model to optimize upstream and midstream biomass-to-bioenergy supply chain costs. ASME 2015 international manufacturing science and engineering conference, Charlotte, NC
- Mitchell P (2005) Methods of moisture content measurement in the lumber and furniture industries. Wood products notes, Raleigh, NC
- Mittlboeck M, Jank R, Scholz J (2015) Harmonizing measurements from wood harvesting machines to support near real time spatio-temporally enabled dashboards for process control. In forest engineering: making a positive contribution. Abstracts and proceedings of the 48th symposium on forest mechanization, Linz, Austria, 2015. Institute of Forest Engineering, University of Natural Resources and Life Sciences, pp 55–61
- Montgomery TD, Han HS, Kizha AR (2016) Modeling work plan logistics for centralized biomass recovery operations in mountainous terrain. *Biomass Bioenergy* 85:262–270
- Murphy G, Clark J, Pilkerton S (2012) Current and potential tagging and tracking systems for logs harvested from Pacific Northwest forests. *West J Appl For* 27(2):84–91
- Murray AT, Church RL (1995) Heuristic solution approaches to operational forest planning problems. *Oper Res Spektrum* 17 (2–3):193–203
- Muys B, Hynynen J, Palahi M, Lexer MJ, Fabrika M, Pretzsch H, Gillet F, Briceno E, Nabuurs G-J, Kint V (2010) Simulation tools for decision support to adaptive forest management in Europe. *For Syst* 19:86–99
- Myers J, Richards EW (2003) Supporting wood supply chain decisions with simulation for a mill in northwestern BC. *Inf Syst Oper Res* 41(3):213–234
- Natarajan K, Leduc S, Pelkonen P, Tomppo E, Dotzauer E (2012) Optimal locations for methanol and CHP production in Eastern Finland. *Bioenergy Res* 5(2):412–423
- Neigh CS, Tucker CJ, Townshend JR (2008) North American vegetation dynamics observed with multi-resolution satellite data. *Remote Sens Environ* 112(4):1749–1772
- Newcome LR (2004) Unmanned aviation: a brief history of unmanned aerial vehicles. American Institute of Aeronautics and Astronautics, Inc., Reston, VA, USA
- NFC Forum (2018) What is NFC? <https://nfc-forum.org/what-is-nfc/>. Accessed 5 July 2018
- Ouhimmou M, D'Amours S, Beauregard R, Ait-Kadi D, Chauhan SS (2009) Optimization helps shermag gain competitive edge. *Interfaces* 39(4):329–345
- Palander T (2011a) Technical and economic analysis of electricity generation from forest, fossil, and wood-waste fuels in a Finnish heating plant. *Energy* 36(9):5579–5590
- Palander T (2011b) Modelling renewable supply chain for electricity generation with forest, fossil, and wood-waste fuels. *Energy* 36 (10):5984–5993
- Palander T, Väättäinen J (2005) Impacts of interenterprise collaboration and backhauling on wood procurement in Finland. *Scand J For Res* 20(2):177–183
- Palander T, Voutilainen JJ (2013) Modelling fuel terminals for supplying a combined heat and power (CHP) plant with forest biomass in Finland. *Biosyst Eng* 114(2):135–145
- Palmgren M, Rönnqvist M, Värbrand P (2003) A solution approach for log truck scheduling based on composite pricing and branch and bound. *Int Trans Oper Res* 10(5):433–447
- Palmgren M, Rönnqvist M, Värbrand P (2004) A near-exact method for solving the log-truck scheduling problem. *Int Trans Oper Res* 11(4):447–464
- Paneque-Gálvez J, McCall MK, Napoletano BM, Wich SA, Koh LP (2014) Small drones for community-based forest monitoring: an assessment of their feasibility and potential in tropical areas. *Forests* 5(6):1481–1507
- Papazoglou MP (2008) Web services: principles and technology. Pearson Prentice Hall, Harlow
- Paradis G, LeBel L, D'Amours S, Bouchard M (2013) On the risk of systematic drift under incoherent hierarchical forest management planning. *Can J For Res* 43(5):480–492
- Parker N, Tittman P, Hart Q, Nelson R, Skog K, Schmidt A, Gray E, Jenkins B (2010) Development of a biorefinery optimized biofuel supply curve for the Western United States. *Biomass Bioenergy* 34(11):1597–1607
- Pinho T, Moreira AP, Veiga G, Boaventura-Cunha J (2015) Overview of MPC applications in supply chains: potential use and benefits in the management of forest-based supply chains. *For Syst* 24: e039
- Packalen T, Marques AF, Rasinmaki J, Ferreti F, Mounir F, Rodriguez LCE, Nobre S (2013) Review. A brief overview of forest management decision support systems (FMDSS) listed in the FOR-SYS wiki. *For Syst* 22(2):263–269
- Puigjaner L, Laínez JM (2008) Capturing dynamics in integrated supply chain management. *Comput Chem Eng* 32:2582–2605
- Puliti S, Ørka HO, Gobakken T, Næsset E (2015) Inventory of small forest areas using an unmanned aerial system. *Remote Sens* 7 (8):9632–9654
- Ranta T, Korpinen OJ, Jäppinen E, Virkkunen M (2014) Supply logistics modelling for large-scale biomass users. In: 22nd European biomass conference and exhibition, Hamburg, Germany
- Rao N, Rao H (2013) Bus data acquisition and remote monitoring system using GSM & Can. *IOSR J Electr Electron Eng* 8 (3):88–92
- Reutebuch SE, Andersen HE, McGaughey RJ (2005) Light detection and ranging (LIDAR): an emerging tool for multiple resource inventory. *J For* 103(6):286–292
- Rey PA, Muñoz JA, Weintraub A (2009) A column generation model for truck routing in the Chilean forest industry. *Inf Syst Oper Res* 47(3):215–221
- RFCode Inc. (2018). R155 humidity-temperature tag. http://cdn2.hubspot.net/hub/186315/file-2396702128-pdf/docs/Sensors/r155_hp_tech_spec_sheet.pdf?t=1424816929508. Accessed 10 July 2018
- Rönnqvist M (2003) Optimization in forestry. *Math Program* 97 (1–2):267–284
- Rönnqvist M, D'Amours S, Weintraub A, Jofre A, Gunn E, Haight RG, Martell D, Murray AT, Romero C (2015) Operations research challenges in forestry: 33 open problems. *Ann Oper Res* 232(1):11–40
- Rönnqvist M, Ryan D (1995) Solving truck despatch problems in real time. In: Conference proceedings of the 31st annual conference of the operational research society of New Zealand, 31 August–1 September 1995, Victoria University of Wellington, New Zealand, pp 165–172
- Rosset C, Brand R, Caillard I, Fiedler U, Gollut C, Schmocker A, Weber D, Willemin E (2014) MOTI - L'inventaire forestier facilité par le smartphone. Haute école des sciences agronomiques, forestières et alimentaires HAFL
- Rosset C, Scholz J, Boaventura-Cunha J, Pinho TM, Rasinmaki J, Marques AF (2015) Planning and control of forest-based supply chains utilizing an integrated model-based approach with focus on forest ecosystem management. In: Proceedings of 16th symposium for systems analysis in forest resources 2015 (ssafr 2015), Uppsala, Sweden, p 31
- Rossmann J, Schluse M, Bücken A (2008) The virtual forest - space- and robotics technology for the efficient and environmentally compatible growth-planning and mobilization of wood resources.

- FORMEC 08 - 41. Internationales symposium in Verbindung mit der 15. KWF-Tagung. Grafenschaft Schmallingenberg, Germany, 2–5 June 2008, pp 3–12
- Roy Rosenzweig Center for History and New Media (2018) Zotero. <http://www.zotero.org>. Accessed 01 July 2018
- Sahin K, Gumusay MU (2008) Service oriented architecture (SOA) based web services for geographic information systems. In: Chen J, Jiang J, Kainz W (Eds.) Proceedings of the XXIst ISPRS congress 2008, Technical Commission II. International Society For Photogrammetry and Remote Sensing, pp 625–630
- Santa-Eulalia LA, D'Amours S, Frayret JM (2010) Modeling agent-based simulations for supply chain planning: the FAMASS methodological framework. 2010 IEEE international conference on systems, man and cybernetics, pp 1710–1718, Istanbul, Turkey
- Santa-Eulalia LA, D'Amours S, Frayret JM, Lemieux S (2011) Agent-based experimental investigations of the robustness of tactical planning and control policies in a softwood lumber supply chain. *Prod Plan Control* 22(8):782–799
- Sarimveis H, Patrinos P, Tarantilis CD, Kiranoudis CT (2008) Dynamic modeling and control of supply chain systems: a review. *Comput Oper Res* 35(11):3530–3561
- Scholz J (2015) Spatial adaptive large neighborhood search for wood supply chain optimization. *Int J Appl Geospatial Res* 6(4):27–43
- Scholz J (2010) Real-time spatial optimization. Dissertation, Technical University of Graz
- Scholz J (2011) System architecture for spatial decision support in wood supply chain management. In: Donaubauer A, Koch A (Eds.) *Innovations in Geoinformatics.abc*. Verlag, Heidelberg, p 62–78
- Scholz J, Bartelme N, Prüller R, Strauss C (2008) Optimizing the wood supply chain—concept and methods. *Int J Spat Data Infrastruct Res* 3:95–117
- Seuring S, Müller M (2008) From a literature review to a conceptual framework for sustainable supply chain management. *J Clean Prod* 16(15):1699–1710
- Shabani N, Sowlati T (2016a) Evaluating the impact of uncertainty and variability on the value chain optimization of a forest biomass power plant using Monte Carlo Simulation. *Int J Green Energy* 13(7):631–641
- Shabani N, Sowlati T (2016b) A hybrid multi-stage stochastic programming-robust optimization model for maximizing the supply chain of a forest-based biomass power plant considering uncertainties. *J Clean Prod* 112(4):3285–3329
- Shabani N, Sowlati T, Ouhimmou M, Rönqvist M (2014) Tactical supply chain planning for a forest biomass power plant under supply uncertainty. *Energy* 78:346–335
- Sharifzadeh M, Garcia MC, Shah N (2015) Supply chain network design and operation: systematic decision-making for centralized, distributed, and mobile biofuel production using mixed integer linear programming (MILP) under uncertainty. *Biomass Bioenergy* 81:401–414
- Siipilehto J, Lindeman H, Vastaranta M, Yu X, Uusitalo J (2016) Reliability of the predicted stand structure for clear-cut stands using optional methods: airborne laser scanning-based methods, smartphone-based forest inventory application Trestima and pre-harvest measurement tool EMO. *Silva Fenn* 50(3):1568
- Simosol Oy (2018) IPTIM. <https://www.simosol.fi/iptim>. Accessed 01 July 2018
- Sosa A, Acuna M, McDonnell K, Devlin G (2015) Controlling moisture content and truck configurations to model and optimize biomass supply chain logistics in Ireland. *Appl Energy* 137:338–351
- Stängle SM, Brüchert F, Kretschmer U, Spiecker H, Sauter UH (2014) Clear wood content in standing trees predicted from branch scar measurements with terrestrial LiDAR and verified with X-ray computed tomography. *Can J Res* 44(2):145–153
- Trestima Inc. (2018) Trestima forest – see the wood for the trees. <https://www.trestima.com/en>. Accessed 01 July 2018
- Van Dyken S, Bakken BH, Skjelbred HI (2010) Linear mixed-integer models for biomass supply chains with transport, storage and processing. *Energy* 35(3):1338–1350
- Vaskovic S, Halilovic V, Gvero P, Music J (2015) Multi-criteria optimization concept for the selection of optimal solid fuels supply chain from wooden biomass. *Croat J For Eng* 36(1):109–123
- Verbesselt J, Hyndman R, Newnham G, Culvenor D (2010) Detecting trend and seasonal changes in satellite image time series. *Remote Sens Environ* 114(1):106–115
- Vergara González F, Palma CD, Nelson JD (2015) Impact of timber volume and grade estimation error on the British Columbia Coastal supply chain. *J Sci Technol For Prod Process* 5(5):16–24
- Von Schnetzler MJ, Lemm R, Bonfils P, Thees O (2009) The supply chain operations reference (SCOR)-model to describe the value-added chain in forestry. *Allg Forst und Jagdztg* 180(1):1–14
- Wahlers Forsttechnik GmbH (2018) TimeControl. <http://wahlers-forsttechnik.de/produkte/software/time-control.html>. Accessed 24 July 2018
- Wang W, Rivera DE, Kempf KG (2007) Model predictive control strategies for supply chain management in semiconductor manufacturing. *Int J Prod Econ* 107:56–77
- Wee HM, Yang WH, Chou CW, Padilan MV (2012) Renewable energy supply chains, performance, application barriers and strategies for further development. *Renew Sustain Energy Rev* 16:5451–5465
- Weinberger G, Scholz J (2018) A semantic web approach for the forest-based supply chain. Conference Angewandte Geographische Informationstechnologie 2018. Poster. <https://aigitposters2018.blogspot.com/2018/07/42-semantic-web-approach-for-forest.html>. Accessed 25 July 2018
- Weintraub A, Epstein R, Morales R, Seron J, Travesso P (1996) A truck scheduling system improves efficiency in the forest industries. *Interfaces* 26(4):1–12
- Wulder M (1998) Optical remote-sensing techniques for the assessment of forest inventory and biophysical parameters. *Progress Phys Geogr* 22(4):449–476
- Xie F, Huang Y (2015) Sustainable biofuel supply chain planning and management under uncertainty. *J Transport Res Board*. <https://doi.org/10.3141/2385-03>
- Zhang J, Hu J, Lian J, Fan Z, Ouyang X, Ye W (2016) Seeing the forest from drones: testing the potential of lightweight drones as a tool for long-term forest monitoring. *Biol Conserv* 198:60–69
- Zhang F, Johnson D, Johnson M, Watkins D, Froese R, Wang J (2016) Decision support system integrating GIS with simulation and optimisation for a biofuel supply chain. *Renew Energy* 85:740–748
- Ziesak M, Rommel D, Ying S, Preusch P (2015) Sensor-based, automated monitoring of fully mechanised harvesting processes—including options for automated process control. In: Forest engineering: making a positive contribution. Abstracts and proceedings of the 48th symposium on forest mechanization, Linz, Austria. Institute of Forest Engineering, University of Natural Resources and Life Sciences, pp 87–88